
62,57

# AMERICA'S FINEST TREE NURSERY

See "Sales Yard Suggestions" Starting Page 74
See "A Helpful Service" Starting Page 77



# PRINCETON NURSERIES

Wholesale Price List SPRING 1956

William Flemer's Sons, Inc.
Princeton, N. J. Telephone 1-1776



# FOREWORD

You will find in this catalogue a very complete ornamental line.
OUR STOCK IS REASONABLY PRICED

In shade trees we have excellent

Acer platanoides	Norway Maple, p. 7
" schwedleri	Schwedler Maple, p. 8
" dasycarpum	
" rubrum	
Platanus acerifolium (orientalis)	
Quercus palustris	Pin Oak, p. 50
Ulmus Americana (and types)	American Elm, p. 69

#### Flowering and Ornamental Trees

Crataegus cordata (phaenopyrum)	
" mollis	Downy Hawthorn, p. 22
Halesia	Silverbell, p. 29
Malus	
Prunus subhirtella pendula	Weeping Japanese Cherry, p. 48
Prunus Japanese varieties	see p. 49

#### Flowering and Ornamental Shrubs

Cercis canadensis	American Redbud, p. 17
" chinensis	Chinese Redbud, p. 17
Cornus in variety	The Dogwoods, p. 19-20
Euonymus alatus	Winged Euonymus, p. 24
" compacta	Dwarf Winged Euonymus, p. 25
Forsythia in variety	See pages 26-27
Lonicera	The Honeysuckles, p. 37-38
Philadelphus	The Mockoranges, p. 43-44
Rhamnus in variety	The Buckthorns, p. 51-52
Rhodotypos kerriodes (scandens)	White Kerria, p. 52
Spirea in variety	p. 57-59
Stephanandra flexuosa	. Cutleaf Stephanandra, p. 60
Symphoricarpos	The Snowberries, p. 60-61
Syringa	The Lilacs, p. 61-63
Viburnum	Many varieties, p. 70-72
Weigelia	In variety, p. 72-73
AZALEAS IN ASSORTMENT.	n 11-12

AZALEAS IN ASSORTMENT,	p. 1	1-13		
Evergreens	The	best	kinds	
Ligustrum Vines, Ground covers, etc.	The	Priv	ets, p.	35-36

SEND YOUR WANT LIST TO WM. FLEMER, JR., WM. FLEMER, III, GEO. S. HARRIS

# REMEMBER!

WE SPECIALIZE IN GROWING QUALITY NURSERY STOCK.
WE DO NO LANDSCAPING OR PLANTING JOBS.

WE ARE NOT YOUR COMPETITOR.

# PRINCETON NURSERIES PRINCETON, NEW JERSEY

Princeton Products Are Quality Products
EARLY PURCHASE ASSURES BETTER ASSORTMENT

It is our constant aim to produce the finest stock that can be grown and to sell at reasonable prices.

坐 坐 坐

See
"Sales Yard Suggestions"
Starting page 74

坐 坐 举

"A Helpful Service"
Starting page 77

# Conditions of Sale

### PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

# **TERMS**

# PRICES: F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms at thirty days from date of invoice.

2% DISCOUNT will be allowed for payment in ten days from date of invoice.

5% DISCOUNT will be allowed for CASH IN FULL WHEN ORDER IS PLACED, providing digging or delivery is scheduled for not less than thirty days from date of order.

Orders for shipment C.O.D. must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

#### **CLAIMS**

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

#### SCHEDULE OF B&B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a carefully dug, solid ball of earth, laced with rope or wire, and handled according to the best nursery practice.

# 'TREES, SHRUBS AND SMALL TREES

Diam. of ball	Size	Estimated Weight	Each
10"	18/24"	30 lbs	
12"	2/3'	45 lbs	
13"	3/4'	60 lbs	1.90
15"	4'/5'	75 lbs	2.40
16"	5/6'	100 lbs	3.00
18"	6′/8′	150 lbs	4.25
21"	8/10'	225 lbs	6.00
24"	2" cal.	300 lbs	8.25

The above charges apply only F.O.B. NURSERY. We will be glad to estimate a delivered price based on the terms of delivery noted below.

Ball depth will normally be not less than  $60\,\%$  of the diameter, and in all cases is adjusted so as to encompass a maximum of the fibrous root system of the plant.

#### **BOXING CHARGES**

Length	12x15"	15x16"	17x20"	19x24"	23x28"	27x32"	32x36"
4'	\$1.40	1.60	1.90	2.40	2.60	3.00	2.60
6'	2.10	2.40	2.85	3.60	3.90	4.50	5.40
8'	2.80	3.20	3.80	4.80	5.10	6.00	7.20
10'	3.50	4.00	4.75	6.00	6.50	7.50	9.00
12'	4.20	4.80	5.70	7.20	7.80	9.00	10.80
14'	4.90	5.60	6.65	8.40	9.10	10.50	12.60

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

#### DELIVERY SERVICE

Although we maintain and operate a number of trucks for delivery of our orders and for which a reasonable charge is made, it is very difficult for us to attempt to deliver the vast volume of material we produce and we strongly urge that our customers send their own trucks, or hire local trucks, to pick up their orders here at the nursery as soon as we send notification that orders are ready.

When you send your trucks for material, we will be very glad to load the stock carefully with our help and supply ample quantities of good damp packing material, without extra charge. We will handle the loads to the best of our ability and can even make arrangements to load your trucks in the evening, if necessary.

Be sure to bring tarpaulin or suitable coverings to protect the plants on the truck, so they will not dry out on the road.

DELIVERY CHARGES ARE NET AND DUE WHEN STOCK IS DELIVERED.

DELIVERING AGENT OR DRIVER WILL COLLECT THIS CHARGE WHEN DELIVERY IS MADE.

# "CARLOADS" AND FREIGHT SHIPMENT

With our own railroad siding connecting with the main line of the Pennsylvania Railroad and a daily pickup service on L.C.L. and express shipments, we are in a position to expedite shipment to you without delay. Consult your local agent for rates to Monmouth Junction, N. J., or write us and we will gladly take care of it for you.

## GUARANTEE OF GENUINENESS

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

#### COME TO SEE US

If you come by rail, use Pennsylvania Railroad and get off at Princeton Junction. Call Princeton 1-1776. We will send a car for you.

If you come by automobile our nurseries are on U. S. Highway No. 1, about ten miles northeast from Trenton. Watch for

our signs.

## NOTES IN EXPLANATION OF CATALOGUE

The figures following each variety indicate in feet the approximate height of that plant at maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are largely taken from the 1924 edition of "Standardized Plant Names." Changes in nomenclature according to the revised "Second Edition," which have not become generally familiar to the trade, are shown in parenthesis and cross-indexed for reference.

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

To facilitate the handling of orders and to enable us to render you quicker and better service we desire where possible, especially in deciduous material, that orders be made in multiples of 10. Many varieties are tied in 10's when graded. Your cooperation will be appreciated.



ABELIA GRANDIFLORA—Glossy Abelia, Good plants, An excellent evergreen shrub. Blooms all summer.

.e∫ A }e.			
	Unit I 1-9	Price in Qu 10-49	
ABELIA grandiflora, 3'-4'		Gloss	y Abelia
Evergreen. Lilac-white tinted flowers. Bl	looms al	l summer.	
12 to 15 in., B. R. Puddled	.60	.50	.40
15 to 18 in., B. R. Puddled	.75	.60	.50
18 to 24 in., B. R. Puddled	1.10	.95	.75
2 to 3 ft., B. R. Puddled	1.50	1.25	1.00
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	1.90	1.50	1.25
2 to 3 ft., B&B	2.60	2.20	1.75
3 to 3½ ft., B&B	3.40	2.80	2.25
ACANTHOPANAX pentaphyllum (sieboldianu Glossy rich green foliage. Thrives in sh	aded ar	eas, north	
posures and dry locations. Good for hedg	e or scr	een.	
12 to 18 in	.45		.30
18 to 24 in	.60		.40
2 to 3 ft	.75	.60	.50
JAPANESE MAPLES	S		
ACER palmatum atropurpureum, 6'-8'	Ja	panese Re	d Maple

We do have a limited quantity of selected seedling plants of good quality, as follows:

A good dwarf tree with rich purple leaves all summer. Best in sun.

12	to	15	in.,	B&B	1.90	1.50	1.25
15	to	18	in.,	Potted	2.25	1.90	1.50



ACER dasycarpum—Silver Maple. A good fast growing low priced tree. A lot of tree for the money. Wier's Cutleaf Maple at the right.

		Price in Qua	antities 50-249
	1-9	10-49	30-243
ACER—MAPLES			
ACER buergerianum, 40'		Triden	t Maple
Similar to Ginnala. Makes bigger tree.			
5 to 6 ft	3.40	2.80	2.25
6 to 8 ft.	4.10	3.50	2.75
8 to 10 ft	5.60	4.75	
0 00 10 100			
— campestre, 25'		Hedg	e Maple
Corky bark. Good in dry locations in ur	dergroy	wth. Grows	slowly.
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.50	2.05	1.65
5 to 6 ft	3.75	3.00	
9 9 9	5.25	4.40	3.50
6 to 8 ft	0.40	4.40	3.00
— dasycarpum, 60'-80'			er Maple
Quick growing, graceful. Leaves silvery	undern	eath.	
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft., 1 to 1¼ in	2.60	2.20	1.75
8 to 10 ft., 1 1/4 to 1 1/2 in	3.40	2.80	2.25
10 to 12 ft., 1½ to 1¾ in	4.90	4.05	3.25
11 to 13 ft., 1 3/4 to 2 in	6.35	5.30	4.25
12 to 14 ft., 2 to 2 ¼ in	8.50	7.00	5.50
12 to 14 ft., 2 1/4 to 2 1/2 in	10.50	8.80	7.00



ACER platanoides—Norway Maple. As fine as can be grown. Well balanced tops. Clean straight trunks. A Princeton specialty.

	Unit 1 1-9	Price in Qu 10-49	antities 50-249
ACER dasycarpum pyramidalis, 60'-80'	Pvr	amid Silve	er Maple
An attractive pyramidal form of Acer and distinctive.			-
8 to 10 ft	4.50	3.75	3.00
9 to 11 ft., 1½ to 1¾ in	5.60	4.75	3.75
10 to 12 ft., 13/4 to 2 in.	6.75	5.50	4.50
11 to 13 ft., 2 to 2½ in	8.50	7.00	5.50
12 to 14 ft., 2 ½ to 2 ¾ in	10.75	9.00	
— — wieri, 60'-80'	Wi	er's Cutlea	af Maple
Graceful, drooping form. Deeply cut le	aves.		
9 to 11 ft., 1 1/4 to 1 1/2 in	4.00	3.30	2.60
10 to 12 ft., 1½ to 1¾ in.	5.25	4.40	3.50
11 to 13 ft., 1 ¾ to 2 in	6.35	5.25	
— ginnala, 10'-12'		Amu	ır Maple
Compact growing. Excellent fall coloring	ng. Very	hardy.	
3 to 4 ft	1.25	1.05	.85
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.40	2.00	1.60
6 to 8 ft	3.40	2.80	2.25
— platanoides, 50'-75'			y Maple
Most popular for street planting. Dark g well spaced and nicely branched.	reen foli	age. Trans	planted,
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft	3.75	3.00	2.50
8 to 10 ft., 1 to 1 1/4 in	5.25	4.40	3.50
9 to 11 ft., 1 1/4 to 1 1/2 in	7.50	6.00	5.00
10 to 12 ft., 1½ to 1¾ in	10.50	8.80	7.00
11 to 13 ft., 1¾ to 2 in	13.50	11.00	9.00

SPECIAL			
ACER platanoides		Norway	Maple
Whips and Lining Out Grades.			
4 to 5 ft. Whips	.90	.75	.60
5 to 6 ft. Whips	1.30	1.10	.90
6 to 7 ft. Whips	1.50	1.25	1.00
7 to 8 ft. Whips	1.75	1.40	1.15
ACED alataraides columnare 50' 75'	Colum	nar Norwa	z Manle
ACER platanoides columnare, 50'-75' An outstanding, compact growing tree.			
dense tree is desired.	very user	ur where a	Harrow
5 to 6 ft	3.40	2.80	2.25
6 to 8 ft.	4.65	4.05	3.25
8 to 10 ft., 1 to 1¼ in	6.75	5.50	
9 to 11 ft., 1¼ to 1½ in	9.00	7.50	
10 to 12 ft., 1½ to 1¾ in	12.00	10.00	
11 to 13 ft., 1 ¾ to 2in.	16.50	13.50	
12 to 14 ft., 2 to 2 ¼ in.	$\frac{20.00}{24.00}$	$\begin{smallmatrix}16.00\\20.00\end{smallmatrix}$	
12 to 14 ft., 2 1/4 to 2 1/2 in	24.00	20.00	
— Crimson King, 30'-40' (Plant Patent #	(4735) Cr	imson Kin	g Maple
Rich purple leaves hold their color ent			
of all purple leafed maples. Grown und	ler license	by patent	owner.
4 to 5 ft	3.75	3.00	2.50
5 to 6 ft	5.25	4.40	3.50
6 to 7 ft	7.15	5.85	4.75
— — drummondi, 20'-30' Silve	r Variega	ted Norwa	y Maple
Green leaves with almost white edging			
the leaf A showy novelty	g which f	ollows con	tours of
the leaf. A showy novelty.			tours of
the leaf. A showy novelty. 4 to 5 ft	g which for $2.70$ $3.75$	$\begin{array}{c} 2.25 \\ 3.00 \end{array}$	tours of
the leaf. A showy novelty.  4 to 5 ft	2.70	$\begin{smallmatrix}2.25\\3.00\end{smallmatrix}$	
the leaf. A showy novelty.  4 to 5 ft	2.70	2.25	
the leaf. A showy novelty.  4 to 5 ft	2.70 3.75	2.25 3.00 Schwedle	r Maple
the leaf. A showy novelty.  4 to 5 ft	2.70 3.75	2.25 3.00 Schwedle	r Maple
the leaf. A showy novelty.  4 to 5 ft	2.70 3.75 3.75 4.65	2.25 3.00 Schwedle 3.00 4.05	2.50
the leaf. A showy novelty.  4 to 5 ft	2.70 3.75 3.75 4.65 7.50	2.25 3.00 Schwedle 3.00 4.05 6.00	2.50
the leaf. A showy novelty.  4 to 5 ft	2.70 3.75 3.75 4.65 7.50	2.25 3.00 Schwedle 3.00 4.05	2.50
the leaf. A showy novelty.  4 to 5 ft	2.70 3.75 3.75 4.65 7.50	2.25 3.00 Schwedle 3.00 4.05 6.00	2.50
the leaf. A showy novelty.  4 to 5 ft	2.70 3.75 3.75 4.65 7.50 10.50	2.25 3.00 Schwedle 3.00 4.05 6.00 8.80 Planetre	r Maple 2.50 3.50e Maple
the leaf. A showy novelty.  4 to 5 ft	2.70 $3.75$ $3.75$ $4.65$ $7.50$ $10.50$	2.25 3.00 Schwedle 3.00 4.05 6.00 8.80 Planetre	r Maple 2.50 3.50e Maple
the leaf. A showy novelty.  4 to 5 ft	2.70 3.75 3.75 4.65 7.50 10.50 pod in exp	2.25 3.00 Schwedle 3.00 4.05 6.00 8.80 Planetre cosed locati	r Maple  2.50 3.50 e Maple tons and
the leaf. A showy novelty.  4 to 5 ft	2.70 3.75 3.75 4.65 7.50 10.50 pod in exp	2.25 3.00 Schwedle 3.00 4.05 6.00 8.80 Planetre cosed locati 1.60 2.20	2.50 3.50 e Maple tons and
the leaf. A showy novelty.  4 to 5 ft	2.70 3.75 3.75 4.65 7.50 10.50 pod in exp 1.95 2.50 3.75	2.25 3.00 Schwedle 3.00 4.05 6.00 8.80 Planetre cosed locati 1.60 2.20 3.00	2.50 3.50 4.000 2.50 3.50 4.000 1.30 1.75 2.50
the leaf. A showy novelty.  4 to 5 ft	2.70 3.75 4.65 7.50 10.50 ood in exp 1.95 2.50 3.75 4.65	2.25 3.00 Schwedle 3.00 4.05 6.00 8.80 Planetre cosed locati 1.60 2.20 3.00 4.05	r Maple 2.50 3.50 e Maple tons and 1.30 1.75 2.50 3.28
the leaf. A showy novelty.  4 to 5 ft	2.70 3.75 4.65 7.50 10.50 ood in exp 1.95 2.50 3.75 4.65 6.00	2.25 3.00 Schwedle 3.00 4.05 6.00 8.80 Planetre cosed locati 1.60 2.20 3.00 4.05 5.00	e Maple 1.30 1.75 2.50 3.25 4.00
the leaf. A showy novelty.  4 to 5 ft	2.70 3.75 4.65 7.50 10.50 bod in exp 1.95 2.50 3.75 4.65 6.00 7.50	2.25 3.00 Schwedle 3.00 4.05 6.00 8.80 Planetre cosed locati 1.60 2.20 3.00 4.05	2.50 3.50



ACER rubrum—Red or Scarlet Maple. Good heads and straight trunks. A specially selected strain for the utmost in fall coloration.

		Price in Qu	
	1-9	10-49	50-249
ACER rubrum, 50'-75'	Re	d or Scarl	et Maple
Brilliant fall coloring. Excellent in dam	p locatio	ons.	
4 to 5 ft	1.90	1.50	1.25
5 to 6 ft	2.50	2.05	1.65
6 to 8 ft	3.40	2.80	2.25
8 to 10 ft., 1 to 1¼ in	4.65	4.05	3.25
9 to 11 ft., 1 1/4 to 1 1/2 in	7.15	5.85	4.75
10 to 12 ft., 1½ to 1¾ in	10.00	8.00	
11 to 13 ft., 1 ¾ to 2 in	12.00	10.00	
— saccharum, 50'-75'		Suga	ar Maple
A stately, long lived tree. Rich autumn in most locations.	coloring	. Very sat	isfactory
6 to 8 ft	4.10	3.50	2.75
8 to 10 ft., 1 to 1¼ in			*****
ACTINIDIA arguta, 20'-30'		Border A	Actinidia
Greenish white flowers in July. Rich d berries.	ark gree	en foliage	. Yellow
12 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
2 to 3 ft	.90	.75	.60
3 to 4 ft	1.10	.95	

	Unit F	Price in Qua 10-49	ntities 50-249
AILANTHUS glandulosa, 50'-60'		Tree of	Heaven
Succeeds under most adverse city conditi grows rapidly.	ons. Ha	s large leav	ves and
6 to 8 ft	3.00	2.50	2.00
10 to 12 ft., 3 in	6.00	5.00	
AKEBIA quinata, 15'-20'		Fiveleaf	Akebia
An excellent vine. Deep green. Purple flow until winter.	wers in	May. Holds	foliage
1 year	.60	.50	.40
ALMOND, FLOWERING (See PRUNUS)			
ALTHEA (See HIBISCUS)			
AMELANCHIER canadensis 20'-30'		Downy sh	adblow
Juneberry. Early white flowers. Edible small	red fru		
12 to 18 in	.70	.55	.45
18 to 24 in	$\frac{.85}{1.00}$	.70 .80	
2 to 2 ½ ft	1.10	.95	
2 ½ to 3 ft. 3 to 4 ft.	1.50	1.25	
— laevis, 20'-30'		llegheny sh	
New leaves are smooth and have redd flowers; purple fruits.			rooping
12 to 18 in	.70	.55	
18 to 24 in	.85	.70	
AMORPHA fruticosa, 8'-10'			igobush
Deep purple flowers in June. Spreading resistant.	habit. T	ough and o	lrought
3 to 4 ft	1.00	.80	.65
4 to 5 ft	1.20	1.00	.80
AMPELOPSIS heterophylla, 25'-30'		celain Amp	
A sturdy vine with excellent foliage. Ver	ry attra	ctive turqu	oise
colored fruit.  2 year	.75	.60	.50
— quinquefolia engelmanni, 30'-40'		Ingelmann	Creeper
Excellent self-clinging vine. Richly color			0.001
	.27	.22	.18
1 year 2 year	.33	.27	.22
2 year	,00		
— tricuspidata veitchi, 40'-50' Dense, self-clinging vine. Blue-black be	rries	Bo	ston Ivy
12 to 18 in., 1 year	.37	.30	.25
12 to 18 in., 1 year	.52	.45	.35
3 in. pots	$.5\overline{2}$	.45	.35
——— lowi, 6'-8'		Geranium	_
Dwarf type of veitchi, with smaller, deep ful and distinct.	oly-cut f	foliage. Ver	y grace-
3 in, pot	1.00	.80	.65
0 III, pot			

# AMYGDALIS nana (See PRUNUS GLANDULOSA)

ANDROMEDA (See PIERIS)

## ARBORVITAE (See THUJA)

ARONIA arbutifolia, 6'-8'		Red Chok	eberrv
Bright red berries in fall.			
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.85	.70	.55
— brilliantissima, 6'-8'		nt red chok	eberry
Similar to arbutifolia but more brilliant			
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.00	.80	.65
— melanocarpa (Nigra) 8'-10'		Black Chok	eberry
White flowers in May. Black berries in	fall.		
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.00	.80	.65
ASH GREEN (See FRAXINUS)			
ASH WHITE (See FRAXINUS)			
AZALEAS (RHODODEN	DRON)		
AZALEAS (RHODODEN		Amoena	Azalea
AZALEA amoena (Rhodo, obtusum amoenu Evergreen, Conspicuous, purple-red flo	m) 3'-4'	Amoena ril-May. Le	
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.	m) 3'-4' wers. Ap		
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter. 8 to 10 in., B&B	m) 3'-4'	ril-May. Le	eaves
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap	ril-May. Le	eaves
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap  1.75 2.10 2.75	1.40 1.75 2.30	1.15 1.40 1.85
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap  1.75 2.10 2.75	ril-May. Le  1.40 1.75 2.30  Hinodegiri	1.15 1.40 1.85 Azalea
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap  1.75 2.10 2.75  owth than	ril-May. Le  1.40 1.75 2.30  Hinodegiri Amoena;	1.15 1.40 1.85 Azalea flowers
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap  1.75 2.10 2.75  owth than	ril-May. Le  1.40 1.75 2.30  Hinodegiri Amoena;	1.15 1.40 1.85 Azalea flowers
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap  1.75 2.10 2.75  owth than or with	ril-May. Le  1.40 1.75 2.30  Hinodegiri Amoena; Rhododend	1.15 1.40 1.85 Azalea flowers
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap  1.75 2.10 2.75  owth than or with 1.75	ril-May. Le  1.40 1.75 2.30  Hinodegiri Amoena; Rhododend 1.40	1.15 1.40 1.85 Azalea flowers ron. 1.15
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap  1.75 2.10 2.75  owth than or with 1.75 2.10	ril-May. Le  1.40 1.75 2.30  Hinodegiri Amoena; Rhododend 1.40 1.75	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap  1.75 2.10 2.75  owth than or with 1.75 2.10 2.75	1.40 1.75 2.30 Hinodegiri Amoena; Rhododend 1.40 1.75 2.30	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40 1.85
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap  1.75 2.10 2.75  owth than or with 1.75 2.10 2.75 3.75	1.40 1.75 2.30 Hinodegiri Amoena; Rhododend 1.40 1.75 2.30 3.00 4.05	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40 1.85 2.50
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap  1.75 2.10 2.75  owth than or with 1.75 2.10 2.75 3.75 4.65	1.40 1.75 2.30 Hinodegiri Amoena; Rhododend 1.40 1.75 2.30 3.00 4.05	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40 1.85 2.50 3.25
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap  1.75 2.10 2.75  owth than or with 1.75 2.10 2.75 3.75 4.65	1.40 1.75 2.30 Hinodegiri Amoena; Rhododend 1.40 1.75 2.30 3.00 4.05	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40 1.85 2.50 3.25
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap  1.75 2.10 2.75  owth than or with 1.75 2.10 2.75 3.75 4.65	1.40 1.75 2.30  Hinodegiri Amoena; Rhododend 1.40 1.75 2.30 3.00 4.05  Torch desirable.	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40 1.85 2.50 3.25
AZALEA amoena (Rhodo. obtusum amoenu Evergreen. Conspicuous, purple-red flo turn a rich, bronze-green in winter.  8 to 10 in., B&B	m) 3'-4' wers. Ap  1.75 2.10 2.75  owth than or with 1.75 2.10 2.75 3.75 4.65	1.40 1.75 2.30 Hinodegiri Amoena; Rhododend 1.40 1.75 2.30 3.00 4.05 Torch desirable. 2.80	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40 1.85 2.50 3.25 Azalea





Right to left—Azalea Amonea; Azalea Kaempferi Othello; Pieris Japonica (Japanese Andromeda).

Unit price in Quantities 1-9 10-49 50-249

#### AZALEA KAEMPFERI HYBRIDS

Carmen—Rose-pink flowers. 15-18"; 18-24"

Cleopatra—Lilac-rose flowers. 15-18"; 18-24"

Fedora—Salmon-rose flowers. 12-15"; 15-18"; 18-24"

Louise—Light-rose flowers. 10-12"; 12-15"; 15-18"; 18-24"

Othello-Brick-red flowers. 10-12"; 12-15"; 15-18"; 18-24"

Wilhelmina Vuyk—The very best hardy white. 10-12"; 12-15"; 15-18"; 18-24"

10 to 12 in., B&B	2.10	1.75	1.40
12 to 15 in., B&B	2.60	2.20	1.75
15 to 18 in., B&B	3.30	2.80	2.25
18 to 24 in., B&B	4.50	3.75	3.00

#### KURUME AZALEAS—EVERGREEN

Christmas Cheer—Crimson. 6-8"; 8-10"; 10-12"; 12-15" Flame—Brilliant red flowers. 8-10"; 10-12"; 12-15"; 15-18" Snow—Large pure white flowers. 8-10"; 10-12"; 12-15"

Kurume varieties at following prices.

6	to	8 in	1.45	1.20	.95
8	to	10 in	1.75	1.40	1.15
10	to	12 in	2.10	1.75	1.40
12	to	15 in	2.75	2.30	1.85
15	to	18 in	3.75	3.00	2.50

	1-0	10-49	90-249
AZALEA ledifolia alba (Indica), 4'-6'		Snow	Azalea
Evergreen. Large single white flowers,	freely 1		
striking background for Azalea hinodeg time.	giri bloo	oming at the	he same
12 to 15 in., B&B	2.75	2.30	1.85
15 to 18 in., B&B	3.75	3.00	
— — lilacina, 4'-6' Single lilac flowers.	Lil	ac Ledifolia	a Azalea
15 to 18 in., B&B	3.50	2.80	
18 to 24 in., B&B	4.50	3.75	
2 to 2½ ft., B&B	6.00	5.00	
— poukhanensis 1'-3'		Korea	n Azalea
Single purple lilac flowers are borne pro			
9 to 12 in	$\frac{2.10}{0.00}$	1.75	1.40
15 to 18 in.	$\frac{2.90}{3.75}$	$\frac{2.40}{3.00}$	$\frac{1.95}{2.50}$
20 10 111	0.10	9.00	4.90
BAYBERRY—(See MYRICA)			
BEACH PLUM (See PRUNUS)			
BEAUTYBUSH (See KOLKWITZIA)			
BENZOIN aestivale (LINDERA benzoin), 10	)'-12'	S	picebush
Yellow flowers in spring followed by be Spicy aromatic foliage.	right re	d berries.	
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.90	.75	.60
BERBERIS—HARDY EVERGREEN TYPES			
— julianae, 4'-6'		ntergreen I	Barberry
Medium growth. Broad spined leaves. Ev		l.	
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B 18 to 24 in., B&B	$\frac{2.60}{3.75}$	$\frac{2.20}{3.00}$	$\frac{1.75}{2.50}$
2 to 2½ ft., B&B	5.25	4.40	$\frac{2.50}{3.50}$
— triacanthophora, 4'-6'	Th	ree Spine I	Barberry
Fast growing, evergreen. Spined leaves,	bushy 1	habit.	
9 to 12 in., B&B	2.25	1.90	
12 to 15 in., B&B	3.00	2.50	
15 to 18 in., B&B	$\frac{3.90}{5.00}$	3.25	
18 to 24 in., B&B	5.00	4.00	
BERBERIS—DECIDUOUS TYPES		71. T	
— mentorensis, 4'	771 77	Mentor I	
Upright type with dark green foliage. Very drought resistant.			
12 to 15 in	.60	.50	.40
15 to 18 in	.75 $.90$	$.60 \\ .75$	.50
18 to 24 in. 2 to 2½ ft.	$\frac{.90}{1.10}$	.45	.75
Δ to Δ /2 It	1.10	.00	

	1-9	10-49		250-up
BERBERIS thunbergi, 4'-5'		Jaj	anese B	arberry
Rugged, low hedge plant. Red be	rrio			
because of spiny growth. Richly	eolo	red fall foliag	e.	
	.19	.16	.13	.11
9 to 12 in., 2 yr. trsp 12 to 15 in., 2 yr. trsp	.25	.23	.19	.16
15 to 18 in., 2 yr. trsp	.34	.29	.24	.22
18 to 24 in., 2 yr. trsp	.52	.45	.35	.28
	1			
— thunbergi, 2 year, not transplanted		.09	.07	.06
9 to 12 in	$.10 \\ .13$	.11	0.07	.08
12 to 15 in	.17	.15	.12	.11
15 to 18 in 18 to 24 in	.25	.20	.16	.14
18 to 24 in				
		1-9	10-49	50-249
4		Red Jai	panese B	arberry
—— atropurpurea, 4'-5' Reddish-purple type of thunber	ori I			
	g1. 1	axcellent for j	, 4, 001118	
yard operation.  9 to 12 in		37	.30	.25
9 to 12 in		45	.37	.30
15 to 18 in			.45	.35
			as Colum	nnharry
— erecta, 5'		Truehed	ge Colui	nnberry
Narrow upright habit.				0.0
15 to 18 in		50	.40	.32
18 to 24 in		60	.50	.40
2 to 3 ft		85	.70	.00
*BETULA alba (pendula), 30'-50'		Europe	ean Whi	te Birch
Very attractive tree with white	bark			
4 to 5 ft		1.10	.95	.75
5 to 6 ft		1.50	1.25	
6 to 8 ft		2.60	2.20	
8 to 10 ft		3.75	3.00	2.50
10 to 12 ft		4.50	3.75	3.00
12 to 14 ft		6.00	5.00	4.00
* CLUMPS, two or more ste	ms			
3 to 4 ft		1.20	1.00	.80
4 to 5 ft		1.50	1.25	1.00
4 (0 0 10,			oon Whi	to Direh
* fastigiata, 50'		amidal Europ		
8 to 10 ft		8.50	7.00	5.00
* — laciniata (pen. laciniata), 30%	-40′	Cutlea	f Weepir	ng Birch
Deeply cut leaves. Silvery white	harl			
Deeply cut leaves. Silvery white	Darr	6.00	5.00	4.00
10 to 12 ft 12 to 14 ft		8.50	7.00	
12 to 14 lt				
*— lenta, 40'-50'				et Birch
Has attractive smooth, reddish	bar	k, and conspi	euous ca	tkins in
spring.				
5 to 6 ft		1.65	1.35	
6 to 8 ft		2.10	1.75	
	atom	a according to	quality	

Additional charge for multiple stems according to quality.

BETULA lutea, 50'-70'		Yellov	Birch
Attains large size. Very attractive frayed with orange shades where it peels.	l bark, sil	lvery outs	ide but
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft	2.60	2.20	1.75
*— papyrifera, 40'	Pape	r or Cano	e Birch
10 to 12 ft	6.75	5.50	
12 to 14 ft	9.00	7.50	
*— populifolia, 30'-40'			Birch
Thrives in poor or sandy soil. White bar planting.		able in ma	ISS
4 to 5 ft	1.25	1.05	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	$\frac{2.75}{4.05}$	2.20	$\begin{array}{c} 1.75 \\ 3.25 \end{array}$
10 to 12 ft., 1½ to 1¾ in	$4.65 \\ 6.25$	$\frac{4.05}{5.50}$	$\frac{5.25}{4.50}$
BIGNONIA grandiflora, 25'-40' (Campsis gr.			creeper
Orange-yellow trumpet-like flowers in J		_	4.0
1 year	$.60 \\ .85$	$.50 \\ .70$	.40 $.55$
2 year			
— — Mme. Gallen, 25'-40' (Campsis Mme. Ga A beautiful hybrid with dark orange ve			creeper
1 yr., 18 to 24 in	.60	.50	.40
2 yr., 2 to 3 ft	.75	.60	.50
3 yr., 3 to 4 ft	1.00	.80	.65
BIOTA—(See THUJA ORIENTALIS)			
BIRCH (See BETULA)			
BITTERSWEET (See CELASTRUS)			
BOX (See BUXUS)			
BUDDLEIA Summer	Flowerin	g Butterfl	y Bush
— Concord, 4'. Blue. 12-18"; 18-24"; 2-3'			
- Fascination, 4'. Orchid Pink. 18-24"; 2-3'			
— Orchid Beauty, 4'. Orchid. 18-24"; 2-3'			
— Pink Charming, 4'-6'. Long panicles of pin 2-3'	k flowers.	. 12-18";	18-24";
— Princeton White, 4'. 12-18"; 2-3'			
Above varieties at following prices:			
12 to 18 in	.37	.30	.25
18 to 24 in	.45	.37	.30
2 to 3 ft	.55	.45	.35

BRIDALWREATH (See SPIREA PRUNIFOLIA)

BUCKTHORN (See RHAMNUS)

BUTTERFLY BUSH (See BUDDLEIA)

\*EXTRA CHARGE FOR DIGGING BIRCHES B&B SEE B&B SCHEDULE PAGE 2-3

ν <sub>(</sub> - ).	Unit P 1-9	rice in Qua 10-49	ntities 50-249
BUXUS sempervirens. 12'-15'		Commo	on Box
Evergreen. Rapid growth. Useful for fo	ormal he	edges.	
6 to 8 in., B.R.	.70	.55	.45
8 to 10 in, B.R	.90	.75	.60
10 to 12 in., B.R	1.30	1.10	.90
10 to 12 in., B&B	1.90	1.50	1.25
CALYCANTHUS floridus, 4'-5'		Sweet	Shrub
An old garden favorite, with fragrant, da	rk redd	ish-brown f	lowers.
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
CAMPSIS (See BIGNONIA)			
CARPINUS betulus fastigiata, 30' Pyra	amid Eu	ropean Hor	nbeam
A very handsome, slow growing, pyrami	dal tree		
3 to 4 ft., B&B	4.65	4.00	
4 to 5 ft., B&B	6.00	5.00	
— caroliniana, 30'-40'	An	nerican Ho	rnbeam
Bluish-green foliage. Low, bushy. Exce	llent fal	l coloring.	Grows
well in shade.			
2 to 3 ft., B.R	1.90	1.50	
5 to 6 ft., B.R	5.25	4.40	
6 to 8 ft., B.R	6.75	5.50	
— japonica, 40'		panese Ho	
Very graceful species. Leaves reddish-bro		n unfoldin	g.
18 to 24 in	1.50	1.25	1.00
2 to 3 ft	1.90	1.50	1.25
CASTANEA crenata, 20'-30'		Japanese C	hestnut
Blight resistant. Large, sweet nuts more Upright habit. Early bearing.	e than o	ne inch wie	de.
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft	2.85	2.35	1.90
8 to 10 ft	3.75	3.00	2.50
— mollissima, 40'-60'		Chinese C	hestnut
Blight resistant. Large, sweet nuts. Thi should be planted in a well drained loc		bearing var	riety
4 to 5 ft	1.90	1.50	1.25
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft	2.85	2.35	
8 to 10 ft	3.75	3.00	2.50
CATALPA speciosa, 30'-35' Heart shaped leaves. Long bean-like se	ed pods.	Western	Catalpa
4 to 6 ft	1.10	.95	
6 to 8 ft.	1.50	1.25	
8 to 10 ft	2.25	1.90	
CELASTRUS orbiculatus, 15'-20' Rapid growing, high climbing shrubby		riental Bit	
to expose red seeds in fall.  18 to 24 in., 1 year	.37	.30	.25
18 to 24 m., 1 year	.01	.00	.40

	1.9	10.49	30-249
CELTIS occidentalis, 50'-60'		H	ackberry
Resembles a slow growing elm. Composil.	act in habit		
4 to 5 ft		1.25	1.00
5 to 6 ft		1.75	1.40
6 to 8 ft		2.20	1.75
8 to 10 ft	. 3.40	2.80	2.25
9 to 11 ft., 1¼ to 1½ in	. 4.50	3.75	
CEPHALANTHUS occidentalis, 5'-6'			ttonbush
Fragrant, creamy white flowers borne September. Good foliage. Likes moist	in round he	ads July	T <sub>red</sub>
18 to 24 in		.37	.30
2 to 3 ft.		.50	.40
3 to 4 ft		.60	.50
		.00	.00
CERCIDIPHYLLUM japonicum, 20'-30'			ıra Tree
Excellent symmetrical tree. Beautiful colors.		autumn	foliage
2 to 3 ft., B&B	3.00	2.50	2.00
3 to 4 ft., B&B		3.50	2.75
4 to 5 ft., B&B	5.25	4.40	3.50
CERCIS canadensis, 12'-15'	A	merican	Redbud
Rosy pink flowers in April. Also called	Judas Tree		
2 to 3 ft		.60	.50
3 to 4 ft		1.00	.80
4 to 5 ft		1.50	1.25
5 to 6 ft		$\frac{1.00}{2.20}$	1.75
6 to 8 ft		$\frac{2.20}{2.50}$	2.00
— chinensis, 1'-12'		Chinese	Redbud
Deeper pink than canadensis. Compact	growing.		
18 to 24 in		.60	.50
2 to 3 ft		.95	.75
3 to 4 ft		1.50	1.25
4 to 5 ft.		1.90	1.20
		1.50	
CHAENOMELES lagenaria (See CYDONIA)	)		
CHAMAECYPARIS—THE RE	ETINOSPOR.	AS	
CHAMAECYPARIS pisifera, 25'-35'		ara Reti	nospora
Fast growing evergreen. Loosely pyran	nidal.		
15 to 18 in., B&B		1.35	1.10
18 to 24 in., B&B		1.90	1.50
2 to 2½ ft., B&B		2.50	2.00
2 ½ to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	4.50	3.75	3.00
4 to 5 ft., B&B	5.60	4.75	3.75
— — aurea, 25'-35'	Golden Saw	ara Reti	nospora
Same growth as pisifera. Foliage brigh	t yellow.		
	1.65	1.35	1.10
15 to 18 in., B&B	4.50	3.75	3.00
3 to 4 ft., B&B 4 to 5 ft., B&B	5.60	4.75	3.75
4 to 5 It., D&D	0.00	1110	0,10



CHAMAECYPARIS plumosa—Plume Retinospora. Our Retinosporas are well sheared and are an outstanding value.

	Unit I 1-9	Price in Qu 10-49	
CHAMAECYPARIS pisifera filifera, 15'-20'	Т	hread Reti	nospora
Long, stringy, drooping, rich green foliag	e. Very	hardy.	
12 to 15 in., B&B	1.30	1.10	
15 to 18 in., B&B	1.65	1.35	
— plumosa, 25′-35′	F	Plume Ret	inospora
Evergreen. Dense, fine texture. Shears we	ell. Brig	ht green.	
15 to 18 in., B&B	1.60	1.35	1.10
18 to 24 in., B&B	2.25	1.90	1.50
3 to 4 ft., B&B	4.50	3.75	
4 to 5 ft., B&B	5.60	4.75	
— — aurea, 20'-25'	0	Golden Ret	inospora
Foliage golden yellow. Similar in habit t	to plum	osa.	
12 to 15 in., B&B	1.65	1.35	1.10
15 to 18 in., B&B	2.10	1.75	1.40
18 to 24 in., B&B	2.90	2.40	1.95
— squarrosa veitchi, 25'-30'		Moss Ret	inospora
Foliage blue gray, feathery and dense.			
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B	1.90	1.50	
18 to 24 in., B&B	2.25	1.90	
— thyoides, 15'-30' Of all the conifers the most tolerant of w growth. Densely columnar habit.		thern Wh swampy so	
2 to 3 ft	2 40	2.00	
3 to 3 ½ ft	3.75	3.00	

CHERRY, FLOWERING (See PRUNUS)			
CHESTNUT (See CASTANEA)			
CHIONANTHUS virginicus, 15'-18'		White Fri	
Abundant tassel-like white flowers May-	June. Blu	ie-black fr	aits.
12 to 18 in. 18 to 24 in.	.85	.70	.55
2 to 3 ft	$\frac{1.05}{1.30}$	$\begin{array}{c} .90 \\ 1.10 \end{array}$	.70 $.90$
3 to 4 ft	1.65	1.35	1.10
CHRISTMASBERRY (See PHOTINIA)			
CITRUS trifoliata	Thr	ee Leaved	Orange
An ornamental variety with sharp spines hedge. Should be planted in protected be	. Sometin ocation.	ies used as	formal
12 to 15 in., B&B		1.50	1.25
	$\frac{2.25}{3.00}$	1.90	1.50
18 to 24 in., B&B	3.00	2.50	2.00
CLEMATIS paniculata, 20'-25'	Sweet	Autumn C	lematis
White fragrant flowers. September. Woo vine.	oly seed ]	oods. An e	kcellent
1 year	$\begin{matrix} .45 \\ .60 \end{matrix}$	.37	.30
2 year	.60	50	.40
CLETHRA alnifolia, '4-5'		Summ	ersweet
Spikes of richly fragrant flowers, July-	Sept. Pre	efers moist	, shady
place.	= 0	4 =	0.5
12 to 18 in	$\begin{array}{c} .52 \\ .70 \end{array}$	$.45 \\ .55$	.35 $.45$
2 to 2 ½ ft	.90	.75	.60
COFFEETREE—(See GYMNOCLADUS)			
COLUTEA arborescens, 8'-10'	Comm	on Bladde:	r-Senna
Yellow flowers June-August. Does well	in dry p	laces.	
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75
CORKTREE (See PHELLODENDRON)			
CORNUS alba (sibirica), 8'-10'		Branched D	- 0
Bright red bark. Porcelain blue fruits. ( winter effects. Very adaptable.	Quick gro	wer. Excel	lent for
18 to 24 in.	.37	.30	.25
2 to 3 ft		.50	.40
3 to 4 ft	$\begin{array}{c} .85 \\ 1.05 \end{array}$	$.70 \\ .90$	.55 $.70$
4 to 5 ft	1.00	.00	
- amomum (sericea), 10'			ogwood
Pale blue fruits. Young twigs purple. P		oist locatio	
18 to 24 in	.37	.30	.25
2 to 3 ft	.60 $.85$	$.50 \\ .70$	.40 $.55$
3 to 4 ft 4 to 5 ft	1.05	.90	.70
1 00 0 100			

	1-9	rice in Qu 10-49	50-249
CORNUS elegantissima variegated, 6'-8'	Silve	rblotch 1	Oogwood
Leaves are edged with creamy white. Ve Excellent to pot for retail sales.	ry strikii	ng and at	tractive.
Excellent to pot for fetali sales.	.60	.50	.40
12 to 18 in 18 to 24 in	.70	.55	.45
a 13 451051	Whiteflo	owering 1	Dogwood
— florida, 15'-25' White flowers. A most popular spring flo			
berries.	1.00	.80	.65
18 to 24 in., B.R	$1.00 \\ 1.25$	1.05	.85
2 to 3 ft., B.R	$\frac{1.25}{2.25}$	1.90	1.50
3 to 4 ft., B.R.	3.40	2.80	
4 to 5 ft., B.R 5 to 6 ft., B&B	8.50	7.00	
5 to 6 It., D&D	0,00		
—— rubra, 15'-20'		owering l	Dogwood
Beautiful bright red flowers in spring.	very sur.	1 00	1.50
18 to 24 in., B.R	2.25	$\frac{1.90}{2.50}$	$\frac{1.30}{2.00}$
2 to 3 ft., B.R.	$\frac{3.00}{5.25}$	$\frac{2.30}{4.40}$	3.50
3 to 4 ft., B.R	5.45		
— mas, 20'-25'		Cornelia	· ·
Handsome, large shrub. Small yellow scarlet fruits in fall.	flowers i	in April.	Shining
18 to 24 in	.85	.70	.55
2 to 3 ft	1.05	.90	.70
3 to 4 ft	1.30	1.10	.90
4 to 5 ft	1.65	1.35	1.10
— paniculata (racemosa) 10'-12' Small white flowers. May. White fruits	on red s		Dogwood
	.55	.45	.35
18 to 24 in 2 to 3 ft	.70	.55	.45
_ sanguinea, 8'-10'			Dogwood
Dark red branches. Good foliage. Does			
	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.80	.60
— stolonifera, 7'-8'			Dogwood
Spreading, Dark red bark, White fruits. locations.	Does we	ıı ın dan	
18 to 24 in	.37	.30	.25
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.60
5 to 6 ft	1.10	.95	.75
COTONEASTER acutifolia, 10'-12' Small pink flowers in clusters. Black fruit	it.		
18 to 24 in., B&B	2.25	1.90	1.50
2 to 3 ft., B&B	$\frac{2.23}{3.00}$	$\frac{1.90}{2.50}$	$\frac{1.50}{2.00}$
3 to 4 ft., B&B	4.50	$\frac{2.30}{3.75}$	3.00
0 to 1 to, D&D	1.50	0.10	0.00

	Unit 1-9	Price in Qua 10-49	antities 50-249
COTONEASTER dielsiana, 4'-5' Upright growth.		Diels Coto	neaster
12 to 15 in., 6 in. pots	1.50	1.25	1.00
15 to 18 in., 6 in. pots	1.90	1.50	1.25
— divaricata, 5'-6'		eading Coto	
Handsome shrub bearing glossy leaves a			
15 to 18 in., B&B	1.90	1.50	1.25
18 to 24 in., B&B	2.25	1.90	1.50
2 to 2½ ft., B&B	3.00	2.50	2.00
— franchetii, 5'-6'	$\mathbf{Fr}$	anchet Coto	neaster
Evergreen, upright, orange berries.			
9 to 12 in., 6" cans	1.10	.95	.75
12 to 15 in., 6" cans	1.50	1.25	1.00
— horizontalis (davidiana), 2'-3'		Rock Coto	neaster
Spreading, Foliage boxlike, Red berries	s. Exce	llent in ro	ckeries.
6 to 9 in., pots	1.10	.95	.75
9 to 12 in., pots	1.50	1.25	1.00
12 to 15 in., 6" cans	1.90	1.50	1.25
15 to 18 in., 6" cans	2.25	1.90	1.50
— perpusilla, 2'-3'		7.1	
Similar to horizontalis but has smaller le			
9 to 12 in., 6" pot	1.50	1.25	1.00
— microphylla, 2'-3'		Roo	ekspray
Evergreen. Small dark green leaves. More	e bushy	than Horiz	ontalis.
15 to 18 in., 6" pots	2.25	1.90	
— rotundifolia, (buxifolia), 1½-2'	Rou	ndleaf Coto	neaster
Evergreen. Round leaves. Postrate. Red			
15 to 18 in., 6" cans	1.90	1.50	1.25
18 to 24 in., 6" cans	2.25	1.90	1.50
— salicifolia, 4'-5'	Will	owleaf coto	neaster
Partly evergreen. Spreading. Red berri Cotoneaster.			
9 to 12 in., 6" pot	1.10	.95	.75
12 to 15 in., 6" pot	1.50	1.25	1.00
15 to 18 in., 6" pot	1.90	1.50	1.25
—— floccosa, 5′-6′			
Evergreen, tall arching growth. The n Cotoneaster in fruit.	nost be	autiful of	all the
9 to 12 in., 6" pots	1.10	.95	.75
12 to 15 in., 6" pots	1.50	1.25	1.00
CRABAPPLE (See MALUS)			



CRATAEGUS crusgalli—Cockspur Hawthorn. The best crataegus. For hedges or thorny barrier; glossy foliage.

1-	9 1	10-49	50-249
CRATAEGUS coccinea, 15'-20'	Th	icket Ha	awthorn
Shrubby habit with long curved spines an	d oval	shaped	leaves.
Large white flowers and large red fruits in	autum	ın.	
4 to 5 ft. BR 4.	50	3.75	3.00
5 to 6 ft., B&B	20	9.50	
— cordata (phaenopyrum), 12'-15'	Washi	ngton H	awthorn
Colorful in fall. Makes an excellent hedge.			
2 to 3 ft., B.R	90	1.50	1.25
3 to 4 ft., B.R	0.0	2.50	2.00
	50	3.75	3.00
	20	9.50	7.50
6 to 8 ft., B&B	50	11.70	9.50
— crusgalli, 15'			r Thorn
Deep green shiny leaves make this Hawth	norn d	istinctive	e. White
flowers are conspicuous.			
18 to 24 in 1	.50	1.25	1.00
2 to 3 ft 2	.25	1.90	1.50
— mollis, 15'	]	Downy H	lawthorn
Strong grower. Large leaves. Red fruits.			
2 to 3 ft., B.R 2	.25	1.90	1.50
	.00	2.50	2.00
	.50	6.00	5.00
	.20	9.50	7.50

Unit Price in Quanti 1-9 10-49 50-			
CRATAEGUS oxycantha, 12'-15'		Englis	h Thorn
Single white flowers.			
2 to 3 ft., B.R.	2.25	1.90	1.50
3 to 4 ft., B.R.	3.00	2.50	2.00
4 to 5 ft., B.R	4.50	3.75	3.00
5 to 6 ft., B&B	11.20	9.50	7.50
6 to 8 ft., B&B	14.30	11.70	
— — pauli, 12'-15'	Paul's	s Scarlet H	awthorn
Double scarlet flowers.			
3 to 4 ft., branched	2.40	2.00	
4 to 5 ft., branched 5 to 6 ft., branched	3.00	$\frac{2.50}{3.75}$	
6 to 8 ft., branched	$\frac{4.50}{6.00}$	5.00	
o to o it., branched	0.00	5.00	
— punctata, 25'-30'		Dotted H	awthorn
Broad headed small tree. Large white	flowers	in May.	Dull red
spotted fruit in October.		~	
2 to 3 ft	2.25	1.90	
3 to 4 ft	3.00	2.50	
— pyracantha lalandi (See PYRACANTHA)			
CALL CALL CALL CALL CALL CALL CALL CALL	41 =1	Flowerin	a Ouinaa
CYDONIA japonica (chaenomeles lagenaria)			g Quince
Scarlet flowers, April, May. Spicy fruits			0.0
12 to 18 in	.30	.25	.20
18 to 24 in	$.55 \\ .70$	.45 .55	.35 $.45$
2 to 3 ft		.00	. 10
— HYBRIDS, 4'-5'  Boule de feu, double red, 12-18"; 18-24 Cardinalis, red flowering, 12-18"; 18-24' Nivalis, white flowering, 12-18"; 18-24	'; 2-3'		
Superba atrosanguinea, redflowering, 12 Vermilion, clear vermilion-red flowers, 1	2-18"; 18 18-24"; 2	8-24"; 2-3' 2-3'	
12 to 18 in	.60	.50	.40
18 to 24 in	.90	.75	.60
2 to 3 ft	1.20	1.00	.80
CYPRESS (See CHAMAECYPARIS)			
DEUTZIA gracilis, 3'		Slender	Deutzia
Heavily laden with snow white flower shrub.	ers in N	Iay. Usefu	l facing
9 to 12 in	.45	.37	.30
— rosea, 3' Similar in growth to above but with pin		ose panicle rers.	Deutzia
12 to 15 in	.60	.50	.40
15 to 18 in.	.85	.70	.55
18 to 24 in	1.05	.90	.70
2 to 2½ ft	1.36	1.10	.90

	Unit I 1-9	Price in Qu 10-49	
DEUTZIA lemoinei, 4'-5'		Lemoine	Deutzia
Large flowering, white. June.			
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 2½ ft	.75	.60	.50
2 ½ to 3 ft	.90	.75	.60
— scabra Pride of Rochester, 9'-10'		Flowered	Deutzia
Pink changing to white. June. Fast grow	.50	.40	.30
18 to 24 in	.60	.50	.40
2 to 3 it	.75	.60	.50
DIERVILLA sessilifolia (lutea), 4'-5'	outhern	Bush Hon	eysuckle
Yellow flowers June-July. Vigorous groage. Excellent for contrast.	wer; pu		
18 to 24 in	.55	.45	.35 $.45$
2 to 3 ft	.70	.55	.40
DOGWOOD (See CORNUS)			
ELAEAGNUS angustifolia, 15'-18'			ian Olive
Silvery leaves and branchlets. Orange b	erries.	Stands unf	avorable
conditions.			
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.05	.90	.70
— longipes (multiflora) 6'-8'		Cherry E	llaeagnus
Silvery leaves. Yellow flowers, fragran ripening in July.	t. May.	Large re	d berries
12 to 18 in	.75	.60	.50
18 to 24 in	.90	.75	.60
2 to 3 ft	1.25	1.05	.85
3 to 4 ft	1.50	1.25	1.00
— umbellata, 8'-10'	, .	Autumn E	-
Powdery green leaves. Clusters of ambe			
18 to 24 in	.55	.45	.35
2 to 3 ft	$\begin{array}{c} .70 \\ 1.00 \end{array}$	.55 .80	$.45 \\ .65$
3 to 4 ft	$\frac{1.00}{1.20}$	1.00	.80
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.90	1.50	1.25
ELM (See ULMUS)			
ENGLISH IVY (See HEDERA)			
EUONYMUS alatus, 9'-10'		Winged 1	Euonymus
Has corky bark. Bright crimson autum	n colori	ng.	
12 to 18 in	.90	.75	.60
18 to 24 in	1.10	.95	.75
2 to 3 ft	1.65	1.35	1.10

	1-9	10-49	
EUONYMUS alatus compactus, 4'-5'	Dwarf	Winger Eu	ionymus
Dwarf form of alatus. Compact. Excellenceloring.	t for h	edge. Brill	iant fall
12 to 15 in	.85	.70	.55
15 to 18 in	1.10	.95	.75
18 to 24 in	1.50	1.25	1.00
2 to 2½ ft	2.10	1.75	1.40
2 ½ to 3 ft	2.50	2.05	1.65
— europaeus, 12'-14'		ean Burni	ng Bush
Pink fruits on long stalks, persisting a lo			4 =
2 to 3 ft	$.70 \\ .90$	.55 .75	.45
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.30	1.10	.90
6 to 8 ft	1.65	1.35	1.10
— fortunei carrieri, 3'		ssy Winte	rcreeper
Evergreen. Large shiny pointed leaves.			
9 to 12 in	.90	$\begin{array}{c} .75 \\ 1.00 \end{array}$	
12 to 15 in	1.20	1.00	
— patens (sieboldianus), 6'-8'	_	eading Euc	•
Evergreen. Very vigorous. Forming broa ornamental fruits.	d, rathe	er loose sh	rub. Has
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B	3.00	2.50	2.00
— radicans, 3'-4'			rcreeper
Evergreen. Self clinging vine. Good for useful for under planting among evergreen		ng low wa	lls; also
6 to 9 in., 1 year	.50	.40	.30
9 to 12 in., 2 year	.60	.50	.40
12 to 15 in., 2 year	.75	.60	.50
——————————————————————————————————————	ırplelea	ved Winte	rcreeper
Evergreen. Foliage narrow, long and ting winter color.	ged wit	h purple. F	Excellent
9 to 12 in., 1 year	.30	.25	.20
12 to 15 in., 2 year	.45	.37	.30
15 to 18 in., 2 year	$.60 \\ .70$	.50 .55	.40
· ·			
—— erecta, 3'  Erect type of Euonymus radicans.	E:	rect Winte	rcreeper
9 to 12 in	.60	.50	.40
12 to 15 in	.75	.60	.50
15 to 18 in	.90	.75	.60
— vegetus, 4'		leaf Winte	
Evergreen. Bushy. Leaves round, dull gre among evergreens. Makes good formal h	en. Scar edge or	rlet fruit. I border.	Excellent
6 to 9 in., 2 year	.70	.55	.45
9 to 12 in., 2 year	.90	.75	.60
12 to 15 in., 3 year	$\frac{1.20}{1.50}$	1.00 $1.25$	1.00
15 to 18 in., 3 year	1.00	1,40	1.00



FORSYTHIA spectabilis—Showy Border Forsythia. Plenty of branches. We grow good flowering shrubs.

	Unit Pr	rice in Q 10-49	uantities 50-249
DUONWING redoonsis 40/		Yeddo E	luonymus
EUONYMUS yedoensis, 40'			
Tall upright shrub. Attractive fall colori	.ng. 1 ink .55	.45	.35
2 to 3 ft	.70	.55	
3 to 4 ft	.90	.75	
€{ <b>F</b> }			
FALSE SPIREA (See SORBARIA)			
FIR DOUGLAS (See PSEUDOTSUGA)			
FIRETHORN (See PYRACANTHA)			
FLEECEVINE (See POLYGONUM)			
FLOWERING CHERRIES (See PRUNUS)			
FLOWERING CRAB (See MALUS)			
FLOWERING QUINCE (See CYDONIA)			
FORSYTHIA intermedia spectabilis, 6'-8'	Showy	Border	Forsythia
Most profuse of all. Rich golden yellow.			
18 to 24 in		.37	
2 to 3 ft	.60		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.80	.65

	1-9	10-49	00-249
FORSYTHIA ovata, 6'-8'		Korean F	orsythia
An introduction from Northern Korea.	The he		
sythias. Flowers pale primrose-yellow,			
varieties.			
18 to 24 in	.60	.50	
2 to 3 ft,	.75	.60	
3 to 4 ft	.90	.75	
- Spring Glory, 6'-8'	ew Sprin	ng Glory F	'orsythia
Pale yellow flowers in profusion.			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.90	.75
5 to 6 ft	1.30	1.10	.90
— suspensa, 4'-6'		Weeping F	orsythia
Bright yellow. Drooping. Excellent on	banks.		
12 to 18 in	.37	.30	
18 to 24 in	.55	.45	.35
— — fortunei, 7'-8'		Fortune F	'orsythia
Bright yellow. Strong grower. Arching.			
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.05	.90	.70
5 to 6 ft	1.25	1.05	.85
— viridissima, 6'-8'		reenstem F	
Very vigorous. Green bark. Heavy da bloom.	rk gree	n foliage.	Last to
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
		*00	
FRAXINUS americana, 70'-80'		W	hite Ash
Medium grower. Good fall coloring. At	home in	moist loca	ations.
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft	$\frac{2.60}{2.60}$	2.20	1.75
8 to 10 ft., 1 to 1¼ in	3.75	3.00	2.50
10 to 12 ft., 1½ to 1¾ in	7.50	6.00	2.00
— lanceolata, 50'-60'			reen Ash
Rapid straight growth. Has dark green locations.	foliage	and thrive	es in dry
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft	$\frac{1.50}{2.60}$	$\frac{1.50}{2.20}$	1.75
8 to 10 ft., 1 to 1¼ in	3.75	3.00	2.50
8 to 10 ft., 1 1/4 to 1 1/2 in	5.25	4.40	
GENISTA tinctoria, 3'			adwaxen
Slender bright green branches. Yellow	pea-shap	ed flowers	
2 to 3 ft	.70	.55	
3 to 4 ft	.85	.70	



Our new Gleditsia Inermis SOLD OUT FOR SPRING '56 Booking orders now for Fall '56 and Spring '57

### THORNLESS HONEYLOCUST

For a number of years we have been striving to produce a Thornless Honey-locust with the outstanding characteristics which are so evident in this picture (photographed August 27, 1955).

Our long effort has resulted in the development of what we consider the FINEST THORNLESS HONEYLOCUST AVAILABLE.

### **OUTSTANDING CHARACTERISTICS ARE:**

- 1. Straight strong trunks
- 2. Ascending branches
- 3. Rapid growth
- 4. Requires no staking
- 5. Deep roots
- 6. Drought resistance
- 7. Does not heave sidewalks
- 8. Grass will grow right up to trunk

- Transplants easily
   Heavy dark green foliage
   Holds foliage late in season
   Freedom from diseases and insect pests
- 13. No leaf raking in the fall
- 14. Forms unbelievably symmettrical tops—A radical departure from other honeylocusts.

# This is the street, lawn and park "TREE OF TOMORROW."

Fall sales were so heavy on this excellent new tree that we will have none to offer this spring. We have a nice lot in production and are now booking orders for fall 1956 and spring 1957.

### RESERVE YOUR REQUIREMENTS NOW

	1-9	10-49	50-249
6 to 8 ft	3.75	3.00	2.50
8 to 10 ft	5.25	4.40	3.50
8 to 10 ft., 1 1/4 to 1 1/2 in	7.50	6.00	5.00
10 to 12 ft., 1½ to 1¾ in	10.50	8.80	7.50

### GLEDITSIA Moraine (Plant Patent No. 836)

Moraine Locust

This variety of Honeylocust is a patented variety covered by United States Plant Patent No. 836. The name "Moraine" is Trade Marked in the United States and Canada, and is being handled under license from the Patent and Trade Mark Owner.

8 to 9 ft., whips ...... 5.25 4.40

#### - triacanthos, 60'-70'

Common Honevlocust

Thorny tree. White fragrant flowers. May. Good in gravelly locations. Does not shade out lawns. A graceful tree of good growth characteristics and clean bright foliage.

5	to	6 ft	1.65	1.35	1.10
6	to	8 ft	2.25	1.90	1.50
8	to 10	0 ft., 1 to 1¼ in	3.00	2.50	2.00
8	to 10	) ft., 1 1/4 to 1 1/2 in	4.50	3.75	3.00
		2 ft., 1½ to 1¾ in	6.75	5.50	4.50

GLEDITSIA TRIA. INERMIS — Thornless Honeylocust — See Page 28

#### – — inermis aurea, 30'-40'

# COLE'S NEW SUNBURST LOCUST (Plant Patent No. 1313)

Bright golden-bronze on tips of branches. Brilliant coloring is limited to 8 to 10 inches of branch tips. Tree is well formed and symmetrical with spreading habit.

6	to	7	ft.,	whips	3.75	3.00	2.50
7	to	8	ft.,	whips	4.50	3.75	3.00

#### GOLDENCHAIN (See LABURNUM)

#### GYMNOCLADUS dioicus, 40'-50'

Kentucky Coffeetree

Light blue green foliage. Slow growing. Picturesque outline.

3 to 4 ft...... 1.30 1.10

# ----**∦ H** }∻---

#### HACKBERRY (See CELTIS)

#### HALESIA monticola, 40'

Mountain Silverbell

The tree form of the Silver Bell. Ideal as a small lawn or foundation specimen.

2	to	3	ft	1.10	.95	.75
3	to	4	ft	1.45	1.20	.95
4	to	5	ft	1.90	1.50	1.25
5	to	6	ft	2.25	1.90	

#### - tetraptera (carolina), 12'-15'

Great Silverbell

White bell-shaped flowers in May. Profusely borne along the branchlets.

2	to	3	ft	.75	.60	.50
3	to	4	ft	1.05	.90	.70
4	to	5	ft	1.45	1.20	.95
5	to	6	ft	1.90	1.50	1.25
6	to	8	ft	2.25	1 90	

	Unit   1-9	Price in Qua 10-49	antities 50-249
	Jap	anese Witch	h Hazel
HAMAMELIS japonica, 20'-30' Interesting Japanese form. Blossoms in la	te wii	nter. Lemon	-yellow
flowers, often purplish inside.			
18 to 24 in	.85	.70	.55
9 to 9 ft	1.05	.90	.70
3 to 4 ft	1.30	1.10.	
		Vernal Wite	h-hazel
— vernalis, 8'		fragrance -	
Clear yellow flowers, Jan. and Feb.; nothing else is in bloom.	spicy	Hagrance	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
18 to 24 in	.85	.70	.55
2 to 3 ft	1.05	.90	.70
	Co	mmon Witc	h Hazel
- virginiana, 10'-12' Yellow ribbon-like flowers in late fall.	i boot	in moist, sh	ady lo-
Yellow ribbon-like nowers in late lan.	1000	1110101, 11	
cations.	.55	.45	.35
18 to 24 in 2 to 3 ft	.85	.70	.55
2 to 3 it	1.05	.90	.70
HAWTHORN (See CRATAEGUS)			
HAZLENUT (See Corylus)			11 1 T
HEDERA helix (hardy strain), 20'-50'			glish Ivy
Evergreen. Good ground cover for snauy	locat	ions. An id	eal wall
cover. Clinging.	.22	.20	.15
12 to 15 in., 2 ¼ in. pots 15 to 18 in., 3 in. pots	.37	.30	.25
18 to 24 in., 4 in. pots	.55	.45	.35
		Hardy En	glish Ivy
— baltica, 20'-50'		Ť	
A very hardy strain of Hedera helix.	.30	.25	.20
2 1/4 in. pots	.00	•	11 1 T
— — colchica, 20'-50'			glish Ivy
colema, 20 00	r for	large shad	y areas.

# HEMLOCK (See TSUGA)

HIBISCUS syriacus (Althea), 10'-12'

Shrub-Althea

.25

.20

Rather formal in outline, flowering in August and September. Also called Rose of Sharon.

The outstanding evergreen ground cover for large shady areas.

.30

Ardens, double rose violet. 12-18"

Huge leaves up to six inches across.

15 to 18 in., 2 1/4 in. pots.....

Comte de Haimont, double pink, white mottled. 12-18"; 18-24"

Purpureus semipleuus, semi-double purple. 12-18"

Rubis, single red. 12-18"; 18-24" Totus alba, single white. 12-18"; 18-24"

Totus alba, single white. 12-18"; 18-24"	9.77	.30	.25
12 to 18 in	.37	.37	.30
18 to 24 in	.45	.01	.00

HONEYLOCUST (See GLEDITSIA)

HONEYSUCKLE (See LONICERA)

HOLLY (See ILEX)

HYDRANGEA arborescens grandiflora alba, (sterilis)	4'-5'	Snowhill Hy	drangea
Large double white flower panicles in	August.	Rich green	foliage.
12 to 18 in	.45	.37	.30
18 to 24 in	.52	.45	.35
2 to 3 ft	.70	.55	.45
— Otaksa, 2'-3'		Blue Hy	drangea
Blue flowers throughout summer. Show for best color. Does better with winter			cid soil
6 to 9 in., 1 yr. field grown heavy strong roots 9 to 12 in., 1 yr. field grown	.55	.45	.35
heavy strong roots	.75	.60	.50
12 to 15 in., 2 year field grown	1.10	.90	.70
— paniculata grandiflora, 8'-0'		Peegee Hy	
Very showy. Large closely packed pa August. Turn pink later.			
12 to 18 in	.37	.30	.25
18 to 24 in	.45	.37	$.30 \\ .55$
3 to 4 ft	$\frac{.85}{1.05}$	$.70 \\ .90$	.70
4 to 5 it.	1.00	.00	
— petiolaris, 30'-50'		Climbing Hy	drangea
Attractive, rampant-growing vine. Sple large brick or stone buildings. Clings b			gainst
12 to 15 in., 4 in. pots	2.50	2.05	1.65
15 to 18 in., 4 in. pots	2.90	2.40	1.95
18 to 24 in., 4 in. pots	3.40	2.80	2.25
— quercifolia, 3'-4'	(	Oak Leaf Hy	drangea
Leaves shaped like an oak leaf. Beaut ceeds in shade. Very desirable.	iful au	tumn colorii	ng. Suc-
12 to 18 in.	.90	.75	.60
18 to 24 in	1.20	1.00	.75
ILEX crenata, 8'-10'		Japanes	se Holly
Evergreen. Box-like leaves. Deep green	. Black	berries.	
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B	3.00	2.50	2.00
18 to 24 in., B&B	4.50	3.75	3.00
— convexa (bullata) 4'-5'		Convex leave	d Holly
Evergreen. Slow growing. Shiny convey			
9 to 12 in., B&B	1.90	1.50	1.25
12 to 15 in., B&B	3.00	2.50	2.00
15 to 18 in., B&B	3.75	3.00	2.50
18 to 24 in., B&B	5.60	4.75	3.75
— microphylla, 6'-8'	Little	leaf Japanes	e Holly
Evergreen. Small leaves. Quite hardy.			
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B	3.30	2.95	2.20
18 to 24 in., B&B	4.90	4.05	



ILEX crenata convexa—Convex Leaved Holly. Sturdy, quality plants.

Unit	Price in	Quantities
1-9	10-49	WA 0.40

		_	
ILEX glabra, 5'-6'			kberry
Evergreen. Shiny dark green leaves.	Purplish	in winter.	Black
berries. Good in shade or sun.			
12 to 15 in., B&B	2.10	1.75	1.40
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.40	2.80	2.25
—— compacta, 3'-4'		Compact In	nkberry
Foliage and berries like glabra. Extren	aely comr	act in hahi	t
		2.20	
9 to 12 in., B&B			
12 to 15 in., B&B	5.40	2.80	4.40
— opaca, Female Plants, 45'-50'		America	n Holly
Evergreen. Does best in moist, partially	shaded 1	location. As	exually
propagated from selected female plants	. These H	ollies will a	all have
berries as plants develop.			
12 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B		2.50	2.00
— verticillata (prinos), 6'-8'		Wint	erberry
Bright red berries in winter. Not ever	green.		
12 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.80	.65
3 to 4 ft	1.20	1.00	.80

INKBERRY (See ILEX)

IVY (See AMPELOPSIS or HEDERA)





JUNIPERUS chinensis glauca hetzi—Hetz Blue Juniper. This is a good fast growing Juniper. Our plants are of excellent quality.

Unit Price in Quantities 1-9 10-49 50-249

# --- J }---

JAPANESE MAPLE (See ACER palmatum)

JAPANESE QUINCE (See CYDONIA)

JASMINUM nudiflorum, 3'		Winter Ja	smine
Yellow. April-May. Needs protection in first to bloom in the spring.	northern	states. One	of the
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40

JERSEY TEA (See CEANOTHUS)

JUDAS TREE (See CERCIS)

JUNIPERUS chinensis glauca hetzi, 5'-7'		Hetz Blue	Juniper
Fast growing. Blue-green foliage. Medium spreading habit.			
18 to 24 in., B&B	4.10	3.50	2.75
2 to 2½ ft., B&B	5.25	4.40	3.50
— — japonica, 6'-8'		Japanese 3	Juniper
Low grower. Spreading. Dark green. Grows slowly.			
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B	3.00	2.50	2.00

	1-9	10-49	
JUNIPERUS chinensis pfitzeriana, 5'-6'		Pfitzer	Juniper
Gray green, feathery appearing. Broad,	bushy ha	abit. Very	popular.
Gray green, leathery appearing. 21000,	3.40	2.80	2.25
15 to 18 in., B&B 18 to 24 in., B&B	5.00	4.00	3.25
2 to 2 ½ ft., B&B	6.00	5.00	4.00
2 ½ to 3 ft., B&B	7.50	6.00	5.00
3 to 3½ ft., B&B	9.00	7.50	6.00
communis canadensis, 5'-6'		Canadian	
Evergreen. Forms a low vase-shaped above, bluish underneath.	bush. I	Leaves dar	
18 to 24 in., B&B	1.75	1.40	1.15
2 to 2½ ft., B&B	3.40	2.80	2.25
— — hibernica, 20'-30'		Irish	Juniper
Narrow pyramid. Gray-green foliage.			4 00
12 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	1.90	1.50	1.25
2 to 3 ft., B&B	2.60	2.20	$\begin{array}{c} 1.75 \\ 2.25 \end{array}$
3 to 4 ft., B&B	3.40	2.80	4.40
— — suecica, 20'-30'		Swedish	Juniper
Quick growing. Narrow, upright form.			
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	1.90	1.50	1.25
2 to 3 ft., B&B	2.60	2.20	
— excelsa stricta, 10'-12'	S	spiny Greek	Juniper
Broad based pyramid. Gray-green folia	ge. Very	popular.	
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	$\frac{1.00}{2.25}$	1.90	1.50
18 to 24 in., B&B	3.00	2.50	2.00
		G . 1.	T
— squamata procumbens, 1'-2'		ese Garder	Juniper
A good prostrate Juniper with gray-g			1 05
12 to 15 in., B&B	2.50	2.05 $2.80$	$\begin{array}{c} 1.65 \\ 2.25 \end{array}$
15 to 18 in., B&B	$\frac{3.40}{4.65}$	4.05	$\frac{2.25}{3.25}$
18 to 24 in., B&B	4.00	4.00	0,20
of WZ lo			
KALMIA latifolia, 8'-10'			ain-laurel
Evergreen. Pink flowers, June. Glossy	foliage.	Prefers sha	ade.
12 to 15 in., B&B		1.90	
15 to 18 in., B&B	3.00	2.50	2.00
KOELREUTERIA paniculata, 25'-30'			nish tree
Bright yellow flowers in July. A very vere. Also called Goldenraintree.	aluable	and attract	tive small
3 to 4 ft		2.05	1.65
4 to 5 ft		3.00	
5 to 6 ft		4.10	3.30
6 to 8 ft		5.50	
8 to 10 ft	8.75	7.75	5.75

		Unit P	rice in Qua 10-49	ntities 50-249
KOLKWITZIA amabilis, 6'-8'		1-0		
A distinctive pink flowering shr	ub. Verv	effective		tybush
18 to 24 in	·	.60	.50	.40
2 to 3 ft		.85	.70	.55
3 to 4 ft		1.05	.90	170
€{ L	}}			
LABURNUM vossi, 18'-20'				
This is a selected hybrid of th flower clusters.	e above	with lan	rger and s	howier
4 to 5 ft		3.75	3.00	
5 to 6 ft		$\frac{5.25}{7.50}$	$\frac{4.40}{6.00}$	5.00
LARCH (See LARIX)	********	1.00	0.00	0.00
LAUREL (See KALMIA)				
			C T	43
LEUCOTHOE axillaris, 3'-4' Similar to catesbaei being more	compact	t in hahit	Coast Leu	
able where the space is limited.	compact	i ili liabii	and more	desir-
9 to 12 in., B&B		1.90	1.50	1.25
12 to 15 in., B&B		$\frac{2.40}{3.25}$	2.00 $2.75$	
— catesbaei, 3'-4'			ooping Leu	
Evergreen. White flowers, May.	Glossy f			
12 to 15 in., B&B	•	2.25	1.90	1.50
LIGUSTRUM amurense, 14'-15'			Amur	Privet
Semi-evergreen. Upright. Olive	green fol	liage. Ve	ry hardy.	
18 to 24 in		.25	.23	.19
2 to 3 ft		.34 $.52$	$.29 \\ .45$	$.24 \\ .35$
9 00 1 10,				
— ibolium, 8'-10'	1-9	10-49	50-249 : Ibolium	-
Similar to California Privet, but	much h	ardier.	100114111	111100
18 to 24 in	.20	.17	.14	.12
2 to 3 ft	.28	.23	.19	.17
3 to 4 ft	.37	.30	.25	.22
— obtusifolium (ibota), 9'-10'				Privet
Good dense habit; flowers and f berries. Very hardy.				k
12 to 18 in	.30 $.37$	.25 $.30$	$\begin{array}{c} .20 \\ .25 \end{array}$	
18 to 24 in	.55	.45	.35	
3 to 4 ft	.70	.55	.45	
— regelianum (ibota regel.), 5'-6'			Regal	Privet
Low, dense, spreading. Very des	irable.			
12 to 18 in	.33	.27	$.22\frac{1}{2}$	
18 to 24 in	.50	.40	32 1/2	
2 to 2½ ft	.70	.55	.45	



LIGUSTRUM obtusifolium regelianum—Regal Privet. Grown from cuttings. The true spreading type.

	1-9		rice in Qu 50-249	
LIGUSTRUM obtusifolium vicaryi,	8'-10'	Go	lden Ibot	a Privet
Striking yellow foliage, clear sales.	even colo	or. Pot up f	or good	summer
9 to 12 in	.37	.30		
12 to 15 in	.55	.45	.35	
— ovalifolium, 12'-15'			Californi	a Privet
Most popular hedge plant. G	lossy gree	en foliage.		
12 to 18 in	.15	.11	.09	.07
18 to 24 in	.20	.14	.11	.09
2 to 3 ft	.27	.22	.18	.15
3 to 4 ft	.37	.27	.22	.20
4 to 5 ft	.55	.45	.37	.30
5 to 6 ft	.75	.60	.50	.40
LILAC (See SYRINGA)				
LINDEN (See Tilia)				
LINDERA (See BENZOIN)				
		1-9	10-49	50-249
LIQUIDAMBAR styraciflua, 50'-60	1		Sw	eet Gum
Excellent, rich autumn color, interesting corky bark.	Grows v	vell in moi	st locatio	ons. Has
5 to 6 ft		2.60	2.20	1.75
6 to 8 ft		3.40	2.80	2.25





LONICERA fragrantissima—Winter Honeysuckle. Our bush Honeysuckle are of supreme quality, and this is a scarce item.

	Unit Price in Quantities		
	1-9		50-249
LIRIODENDRON tulipifera, 60'-80'		r	Culiptree
Rapid growing. Ŷellow tulip-like flowe	rs, June.		
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.75	3.00	
8 to 10 ft	5.25	4.40	
8 to 10 ft., 1 ½ to 1½ in	6.30	5.25	
9 to 11 ft., 1½ to 1¾ in	8.00	6.50	
10 to 12 ft., 1 3/4 to 2 in	10.50	8.50	
11 to 13 ft., 2 to 2½ in	12.75	10.50	
LONICERA bella albida, 8'-9'	White	Belle Hon	eysuckle
Vigorous, white flowers. Blue green fo			
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
— fragrantissima, 6'-8'	W	inter Hon	eysuckle
White fragrant flowers, April, May. Sen	ni-evergre	een.	
18 to 24 in.	.45	.37	.30
2 to 3 ft	.70	.55	.45
3 to 4 ft	.90	.75	.60
— heckrotti, 15'-20'	Gold F	lame Hon	evsuckle
Medium growing vine with orange rec			
1 year, No. 1	.50	.40	.30
2 year, No. 1		.50	.40
— japonica halliana, 15'-25'	Hall Jana	anese Hon	evsuckle
Vine. Almost evergreen. Free blooming	white an	d yellow.	Very
fragrant. Ideal for covering steep band 2 year, fld. gr.		.27	.22

### Unit Price in Quantities 1-9 10-49 50-249

LONICERA maacki podocarpa, 8'-9'		Late Honey	suckle
Strong grower. Stands neglect. Yellow	and white	e flowers in	ı May.
Red fruit in fall.			
2 to 3 ft	.60	.50	.40
2 to 3 it	.75	.60	.50
3 to 4 lt		TT	
— morrowi, 7'-8'		rrow Honey	suckie
Spreading habit. White flowers, May, J	une. Red	berries.	
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.90	.75	.60
	Manahi	rian Honey	zsuckle
— ruprechtiana, 8'-9'			Buckey
Creamy white flowers, June. Red and o	orange bei	ries.	4.0
2 to 3 ft	.60	.50	$.40 \\ .55$
3 to 4 ft	.85	$\begin{array}{c} .70 \\ .90 \end{array}$	.70
4 to 5 ft	1.05	.90	0
— tatarica alba, 9'-10'	White Tata	arian Honey	suckle
White flowers. Red fruit. Very adaptal			
	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft 4 to 5 ft	.90	.75	.60
5 to 6 ft	1.10	.90	.75
		arian Hone	ysuckle
Pink flowers. Red fruit. Very adaptable	le.		
12 to 18 in	.30	.25	.20
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
1-III 0/ 10/	Red Z	abell Hone	vsuckle
— zabelli, 9'-10'			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
An improved strain of red tatarian Ho			.20
12 to 18 in	.30	.25	.30
18 to 24 in		.37 $.50$	.40
2 to 3 ft		.60	.50
3 to 4 ft			
LYCIUM chinense, 10'-12'	Chine	se Matrimo	ny-vine
Violet flowers, June. Bright red fruits.	. Ideal for	holding b	anks.
12 to 18 in		.25	.20
18 to 24 in		.30	.25
2 to 3 ft		.45	.35
2 00 0 10000000000000000000000000000000			
		Q,	weetbay
MAGNOLIA glauca (virginiana), 15'-20'	Moonles		•
Fragrant creamy white flowers, May.	nearly ev	ergreen. Pr	erers
moist location.	0.40	0.00	0.05
18 to 24 in., B&B	3.40	2.80	2.25
2 to 3 ft., B&B	4.10	3.50	2.75
3 to 4 ft., B&B	$\begin{array}{c} 5.25 \\ 6.75 \end{array}$	$\frac{4.40}{5.50}$	$\frac{3.50}{4.50}$
4 to 5 ft., B&B			
5 to 6 ft., B&B	9.00	6.50	



MAGNOLIA soulangeana—Saucer Magnolia. The most popular of all Magnolias. Did you ever see finer plants?

	Unit P	rice in Qu 10-49	antities 50-249
MAGNOLIA soulangeana, 15'-18'		Saucer M	Iagnolia
Purplish-pink flowers, May, Most popu	ılar, B		
plants. Well branched and budded. Outst	anding	quality.	
18 to 24 in., B&B	3.00	2.50	2.00
2 to 3 ft., B&B	4.10	3.50	2.75
3 to 4 ft., B&B		4.75	3.75
4 to 5 ft., B&B	7.50	6.00	5.00
— — alexandrina, 15'-18'			
This variety is very similar to soulangea	na, but	a few da	ys later
and deeper color.			
2 to 3 ft., B&B	5.25	4.40	3.50
3 to 4 ft., B&B	6.75	5.50	4.50
4 to 5 ft., B&B	8.50	7.00	5.50
5 to 6 ft., B&B	0.50	8.80	
—— lennei, 15'-18'		Lenne M	Iagnolia
Late blooming. Rich, deep purple flowers	in Apri	i1.	
2 to 3 ft., B&B	5.25	4.40	3.50
3 to 4 ft., B&B	6.70	5.50	4.50
4 to 5 ft., B&B	8.50	7.00	5.50
5 to 6 ft., B&B	0.50	8.80	7.00
— — rustica, 15'-18'	Purple	Saucer M	Iagnolia
Hybrid variety of soulangeana. Rose-red.			
2 to 3 ft., B&B	5.25	4.40	3.50
3 to 4 ft., B&B	6.70	5.50	4.50
4 to 5 ft., B&B	8.50	7.00	

	Unit P 1-9	rice in Qua 10-49	ntities 50-249
MAGNOLIA soulangeana verbanica, 12'-15'	V	erbanica Ma	agnolia
Rich orchid flowers, May. Very bright an	nd vivid.		
18 to 24 in., B&B	3.75	3.00	2.50
2 to 3 ft., B&B	5.25	4.40	3.50
3 to 4 ft., B&B	6.75	5.50	4.50
4 to 5 ft., B&B	8.00	6.50	5.75
— stellata, 8'-10'		Star Ma	_
Shrubby habit. Fragrant semi-double flo	wers con	ning before	leaves.
12 to 18 in., B&B	3.75	3.00	2.50
18 to 24 in., B&B	6.00	5.00	4.00
2 to 2½ ft., B&B	8.50	7.00	5.50
2 ½ to 3 ft., B&B	10.50	8.80	7.00
3 to 4 ft., B&B	12.70	10.60	8.50
— rosea, 8'-10'	R	osy Star Ma	agnolia
Pink flowering form of above.			0.50
12 to 18 in., B&B	3.75	3.00	2.50
18 to 24 in., B&B	6.00	5.00	4.00
2 to 2½ ft., B&B	8.50	7.00	5.50
2 ½ to 3 ft., B&B	10.50	8.80	7.00
3 to 4 ft., B&B	12.70	10.60	8.50
— tripetala, 30'40'		Imbrella Ma	agnolia
Very large leaves, white flowers, pink s			
3 to 4 ft., BR	2.10	1.75	
4 to 5 ft., BR	2.70	2.25	
5 to 6 ft., BR	3.75	3.00	
6 to 8 ft., BR	5.25	4.50	
MAHONIA aquifolia, 4'		regon Holly	
Evergreen. Glossy leaves, scarlet in autu Blue-black berries. Likes partial shade.	ımn. Yell	ow flowers	in May.
10 to 12 in., B&B	1.50	1.25	1.00
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.40	2.80	2.25
MALUS—FLOWERING	CRAB		
MALUS arnoldiana, 8'-10' White flowers. Very compact.		Arno	ld Crab
4 to 5 ft	1.30	1.10	.90
5 to 6 ft	1.90	1.50	1.25
— atrosanguinea, 10'-15' Single red flowers in abundance.		Carmi	ne Crab
4 to 5 ft	1.30	1.10	.90
— coronaria, 30'		ld Sweet Cr	abapple
Fragrant single blush-pink flowers in ea	arly sprii	ng.	
8 to 10 ft	3.40	2.80	

	1-9	10-49	50-249
MALUS coronaria Charlotte, 15' Double	flowering 1	form of Co	ronaria
Strong grower. Good fall foliage. Pink			
2 to 3 ft	1.05	.90	.70
3 to 4 ft	1.30	1.10	.90
4 to 5 ft.	2.00	1.65	1.30
5 to 6 ft	2.60	2.20	1.75
— floribunda, 10'-15'	_	se Floweri	ng Crab
Single rose colored flowers. Yellow frui			
3 to 4 ft	1.05	.90	.70
4 to 5 ft	1.50	1.25	1.00
— halliana parkmani, 10'-15'			an Crab
Semi-double pink. Compact habit. Slov			
2 to 3 ft	$\frac{1.05}{1.30}$	$\frac{.90}{1.10}$	$.70 \\ .90$
4 to 5 ft.	$\frac{1.50}{2.00}$	$\frac{1.10}{1.65}$	$\frac{.90}{1.30}$
		_,,,,	
— hoppi, 12'-15'	_	d Floweri	ng Crab
Rose red flowers. Red fruit. Hardy, At		1 50	4 0.5
5 to 6 ft	1.90 $3.40$	$\begin{array}{c} 1.50 \\ 2.80 \end{array}$	1.25
0 00 10 10 10 10 10 10 10 10 10 10 10 10	0.10	2.00	
— ioensis plena, 10'-15'			el Crab
Large double bright pink. Fragrant. L	ate bloom		
18 to 24 in	1.00	.80	.65
2 to 3 ft	$\substack{1.25\\1.65}$	$\frac{1.05}{1.35}$	.85
0 to 4 ft	1.00	1.00	******
— Prince Georges, 10'-15'		nce Georg	
A new Bechtel Hybrid. Better foliage a			
18 to 24 in.	1.00	.80	.65
2 to 3 ft	1.25 $1.65$	1.05 $1.35$	$\frac{.85}{1.10}$
4 to 5 ft.	$\frac{1.03}{2.10}$	$\frac{1.35}{1.75}$	$\frac{1.10}{1.40}$
— purpurea, 10'-15'		Purple Cr	abapple
Rich, reddish purple foliage; crimson			
4 to 5 ft	1.30	1.10	$\begin{array}{c} .90 \\ 1.25 \end{array}$
5 to 6 ft	$\frac{1.90}{2.25}$	1.50 $1.90$	1.20 $1.50$
8 to 10 ft.	3.40	2.80	
10 to 12 ft	4.75	4.00	
— scheideckeri, 10'-15'		Scheideck	er Crah
Double red buds changing to pink. Yel	low fruits.		01 0140
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft	2.50	2.05	1.65
— spectabilis, 10'-15'	Chines	e Flowerii	ng Crab
Beautiful, double pink flowers; sweet			
3 to 4 ft	1.10	.95	.75
4 to 5 ft.	1.50	1.25	1.00
6 to 8 ft	$\frac{2.50}{3.40}$	$\frac{2.05}{2.80}$	$egin{array}{c} 1.65 \ 2.25 \end{array}$
8 to 9 ft	3.40	2.80	4.25

Unit Price in Quantities

	1-9	10-49	30-249
MALUS theifera (hupehensis) 15'-20'	nink flo		Tea Crab
Sturdy, spreading. Literally covered with 4 to 5 ft	1.50	1.25	
MAPLE (See ACER)			
MATRIMONY VINE (See LYCIUM)			
MOCKORANGE (See PHILADELPHUS)			
MORAINE LOCUST (See GLEDITSIA MORA	INE)		
MORUS ALBA, 35'-50'		White	Mulberry
Rapid growing and bushy. Bears fruits at	tractive	to birds	
5 to 6 ft	1.10	.95	.75
6 to 8 ft 8 to 10 ft	$\begin{array}{c} 1.50 \\ 2.25 \end{array}$	$\frac{1.25}{1.90}$	1.00
MOUNTAIN ASH (See SORBUS)			
MOUNTAIN LAUREL (See KALMIA)			
MULBERRY (See MORUS)			
MYRICA pennsylvanica, 4'-5'	N	orthern	Bayberry
Does well in poor, gravelly soil. Has dec	corative,	gray be	rries, and
glossy green foliage. Good for seashore.			
15 to 18 in., B&B	1.90	1.50	1.25
3 to 3½ ft., B&B	6.75	5.50	4.50
MYRTLE (See VINCA)			
NINEBARK (See PHYSOCARPUS)			
NYSSA sylvatica, 40'-60'		-	or Tupelo
Handsome foliage which assumes bright in wet places.	colors	in fall.	Will grow
2 to 3 ft., B&B	4.50	3.35	9.05
3 to 4 ft., B&B 5 to 6 ft., B&B	$\begin{array}{c} 5.00 \\ 8.50 \end{array}$	$\frac{4.10}{7.00}$	$\frac{3.25}{5.50}$
5 to 6 ft., D&D	0.00	•.00	0.00
<del></del>			
OAK (See QUERCUS)			
OREGON GRAPE (See MAHONIA)			
OXYDENDRON arboreum, 25'-30'			Sourwood
Showy white flowers in August. Leathery fall coloring. The very finest native sma	y foliage Il tree.	. Strikin	g, crimson
18 to 24 in	1.30	1.10	
2 to 3 ft	1.65	1.35	1.10
PACHYSANDRA terminalis, 6"-8"		Japan	ese Spurge
Evergreen. Ideal ground cover for shad	y places		LLO DPUISO
1 year, 2 in. pots	.22	.2(	.15

PARTHENOCISSUS (See AMPELOPSIS)			
PHELLODENDRON chinensis, 25'-30'		Chinese Co	orktree
A rapid growing tropical appearing smal	l tree.		
2 to 3 ft	1.10	.85	.70
3 to 4 ft	1.30	1.10	.90
5 to 6 ft	2.70	2.25	
6 to 8 ft 8 to 10 ft	$\frac{3.75}{5.00}$	$\frac{3.00}{4.25}$	
0 10 10 11	5.00	4.40	
PHILADELPHUS—MOCKO	DRANGE	2	
PHILADELPHUS coronarius, 9'-10'		Sweet Mock	orange
White fragrant flowers. Profusely borne	. May ar	d June.	
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
— — aurea, 4′-5′	Go	ldleaf Mock	orange
Dwarf, compact form. Bright yellow foli	iage.	*	
12 to 15 in	.90	.75	.60
15 to 18 in	1.10	.95	.75
18 to 24 in	1.45	1.20	.95
— lemoine, 4'-5'	Lei	moine Mock	orange
Good, compact habit. Intensely fragrant, dwarf shrub.			0
12 to 18 in	.50	.40	.32
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
— virginalis, 7'-8'	Vi	rginal Mock	orange
Our strain is the true virginalis and blo double flowers are fragrant and it is no inferior variety which is offered by many	t to be		
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.90	.75	.60
SMALL GROWING SPE	CIES		
PHILADELPHUS albatre, 4'-5'—12-18"; 18- Low, bushy growth. Large single, white			anicles.
— avalanche, 4'-5'—12-18"; 18-24" Graceful arching habit.			
— bouquet blanc, 4'-5'—12-18"; 18-24" Low, compact habit. Blooms freely. May	-June.		
— enchantment, 4'-5'—12-18"; 18-24" Double white flowers, very showy and fr foundation planting.			
12 to 18 in	.55	.45	.35
18 to 24 in	.70 $.85$	$\begin{array}{c} .55 \\ .70 \end{array}$	$.45 \\ .55$

## LARGE GROWING SPECIES

Distinctive habit and large showy flowers.

PHILADELPHUS atlas, 6'-8'. Tall variety an 12-18"; 18-24"; 2-3'; 3-4'			S.
— floribundus, 9'-10'. Resembles coronarius. flowers slightly fragrant. 3-4'; 4-5'; 5-6	Very free	e blooming;	
— pyramidalis, 8'-10'. Narrow upright growt	h. 3-4'; 4	-5'; 5-6'	
Above Species at following prices:			
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40 $.50$
2 to 3 ft	.75	.60	.60
3 to 4 ft	.90	.75	.75
4 to 5 ft	1.10	.95 $1.10$	.90
5 to 6 ft	1.30	1.1.0	. 0 0
PHOTINIA subumbellata, 10'		Christma	
Slender branched shrub. Shrubby in cha	aracter. S	carlet fruit	s.
12 to 18 in.	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.45	1.20	.95
— villosa, 15'		Oriental Pl	
A large shrub; hawthorn like flowers. C berries.	olorful fa	ll foliage. F	Red
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.30	1.10	.90
PHYSOCARPUS opulifolius, 9'-10'		Common Ni	nebark
Creamy white, June. Vigorous. Good for		F 0	4.0
2 to 3 ft	$.60 \\ .75$	.50 $.60$	.40 $.50$
3 to 4 ft	.13	.75	.60
4 to 5 ft	1.10	.95	.75
5 10 6 11,	1.10	.00	
— — nana, 5'		Dwarf Ni	nebark
Dwarf variety of the species.			
18 to 24 in	.75	.60	.50
2 to 3 ft	.90	.75	.60
3 to 4 ft	1.10	.95	.75
PIERIS japonica, 5'-6'	Ja	panese And	romeda
Evergreen. Drooping clusters of small,		-	
	3.40	2.80	2.25
12 to 15 in., B&B	$\frac{3.40}{4.10}$	$\frac{2.80}{3.50}$	2.25 $2.75$
18 to 24 in., B&B	5.25	4.40	3.50
10 to 24 m., D&D	0.20	1,70	0.00



PLATANUS accrifolium (orientalis)—London Planetree, Princeton quality and a Princeton specialty.

	Unit 1-9	Price in Qua 10-49	ntities 50-249
PINUS strobus, 80'-100'		Whi	te Pine
Probably our most useful and adaptable old.	e pine.	Picturesque	when
18 to 24 in., B&B	3.00	2.50	
2 to 3 ft., B&B	4.10	3.50	
3 to 4 ft., B&B	6.00	5.00	
4 to 5 ft., B&B	7.50	6.00	
5 to 6 ft., B&B	10.00	8.00	
— sylvestris, 25'-30'  Evergreen. A rapid-growing, handsome tr Good for windbreaks.  3 to 4 ft., B&B	6.75 8.50	ecially when	ch Pine young.
PLANE TREE (See PLATANUS)			
PLATANUS acerifolium (orientalis), 70'-80'		London Pla	anetree
A desirable, quick growing street or par condition.	k tree.	Withstands	smoky
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft., 1 to 1 ½ in	5.25	4.40	3.50
8 to 10 ft., 1¼ to 1½ in	7.15	5.85	4.75
9 to 11 ft., 1½ to 1¾ in	9.00	7.50	6.00
10 to 12 ft., 1 1/4 to 2 in	10.50	9.00	

PLATANUS occidentalis, 75'-100' An	nerican Pla	netree or A	merican ycamore
Rugged, strong growing. Has smood developed. Very picturesque.	th, almost		
4 to 5 ft	1.45	1.20	.95
5 to 6 ft		1.50	1.25
6 to 8 ft	2.60	2.20	1.75
8 to 10 in., 1 to 1¼ in	4.10	3.50	2.75
10 to 12 ft., 1¼ to 1½ in	6.00	5.00	4.00
10 to 12 ft., 1½ to 1¾ in	7.50	6.00	5.00
11 to 13 ft., 1 1/2 to 1 1/4 to 2 in	9.00	7.50	6.00
11 to 13 ft., 2 to 2 ¼ in	10.50	9.00	
POLYGONUM auberti, 25' Strong growing vine producing foar and fall.	ny sprays o	China Fi f flowers in	
2 year	70	.55	.45
POPULUS alba bolleana, 50'-60' Leaves white underneath. Columna:	r hahit Go		a Poplar
		.95	.75
4 to 5 ft	1.10	1.10	.90
5 to 6 ft	1.30		1.25
6 to 8 ft		1.50	$\frac{1.25}{1.50}$
8 to 10 ft., 1 to 1 ½ in		1.90	2.00
8 to 10 ft., 1 1/4 to 1 1/2 in		$\frac{2.50}{2.00}$	$\frac{2.00}{2.50}$
10 to 12 ft., $1\frac{1}{2}$ to 2 in		$\frac{3.00}{3.75}$	3.00
12 to 14 ft., 2 to 2½ in	4.50	5.75	5.00
— eugenie, 75'-90' Rapid grower. Succeeds in dry pla	ces and ne	ar seashore	a Poplar
5 to 6 ft	1.10	.95	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft., 1 to 1¼ in		1.90	1.50
9 to 11 ft., 1¼ to 1½ in	3.00	2.50	
10 to 12 ft., 1½ to 1¾ in	3.75	3.00	
11 to 13 ft., 1 ¾ to 2 in	4.90	4.05	
— maximowiczii, 60'-80' Dark green foliage. Medium sprea	ding form.		se Poplar bark, A
stately, clean tree.	0		
5 to 6 ft	1,20	1.00	.80
6 to 8 ft			1.00
8 to 10 ft., 1 to 1 1/4 in			1.50
	2.20		ly Poplar
— nigra italica, 60'-80' Tall, spire-like. Good for landscape	work and		ty 1 opiai
			7 5
6 to 8 ft			.75
8 to 10 ft	1.50		1.00
10 to 12 ft., 1¼ to 1½ in	1.90		1.25
10 to 12 ft., 1½ to 1¾ in	2.25	1.90	
PRIVET (See LIGUSTRUM)			
PRUNUS Blireana, 10'-12' Very large, double pink flowers. S copper foliage.	pectacular		ana Plum Attractive
4 to 5 ft	1.78	5 1.40	1.15
5 to 6 ft			1.10
8 to 10 ft.			



PRUNUS maritima — Beach Plum and RHAMNUS frangula — Glossy Buckthorn. Princeton quality; good landscape shrubs.

	Unit   1-9	Price in Qu 10-49	
PRUNUS cerasifera pissardi, 12'-15' Valued chiefly because of purplish foliag year for best color effect.		Purplele ld be prun	
5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	2.10 $2.60$ $3.30$	1.75 $2.20$ $2.75$	1.40
— — Newport, 10'-12' Rich purple-red foliage which retains its mer. Compact symmetrical habit. White	flowers	in spring.	the sum-
2 to 3 ft		$\begin{matrix} .90 \\ 1.05 \end{matrix}$	.70 .85
— glandulosa alba, 5'-6' Double white flowers in May. Very attra	ctive.	Flowering	
3 to 4 ft		.90 Flowering	.70
——————————————————————————————————————		r to wering	Aimond
18 to 24 in	$   \begin{array}{r}     .70 \\     .85 \\     1.05   \end{array} $	.55 .70 .90	$.45 \\ .55 \\ .70$
— maritima, 5'-6' Small white flowers, April. Ideal for seplanting. Edible fruit.	andy so		ch Plum side
12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	$\begin{array}{c} .55 \\ .70 \\ .80 \\ 1.05 \end{array}$	$.45 \\ .55 \\ .70 \\ .90$	.35 .45 .55 .70



PRUNUS subhirtella pendula — Weeping Japanese Cherry. Ours are grown on their own stems and are absolutely winter hardy. The best Weeping Cherry that can be grown.

	Unit I	Price in Qu	antities
	1-9	10-49	50-249
PRUNUS padus, 30'-40'	Eur	opean Bird	Cherry
Long, drooping racemes of white flowers.	Black	fruit.	
2 to 3 ft	.90	.75	.60
3 to 4 ft.	1.25	1.05	.85
5 to 6 ft	2.10	1.75	1.40
6 to 8 ft	2.60	2.20	1.75
		wing Iliaan	Chonny
- subhirtella autumnalis, 25'-30' Autum	n nowe	ring Higan	Cherry
Small tree. Semi-double flowering in Octo			ıg.
3 to 4 ft	1	1.40	
4 to 5 ft	2.50	2.10	1.70
5 to 6 ft	3.30	2.75	
— — pendula, 12'-15'	Weepin	g Japanese	Cherry
These trees are grown on Prunus pendu and of good quality. Preferred by many t	la stem	s and are	graceful s.
		1.35	1.10
2 to 3 ft., own stems		$\frac{1.33}{2.20}$	2.00
3 to 4 ft., own stems		3.50	
4 to 5 ft., own stems 5 to 6 ft., own stems	6.00		
6 to 8 ft., own stems	7.75	6.25	5.25
6 to 8 It., Own Stems	1.10	0.20	0.20
— tomentosum, 6'-7'		7	g Cherry
Fruits are light red; flowers white, befor	e leave	s appear. V	ery
showy.			
18 to 24 in	.70	.55	.45
2 to 3 ft	.80	.70	.55
3 to 4 ft	1.05	.90	.70

	Unit Pi 1-9	rice in Qua 10-49	ntitaes 50-249
PRUNUS tribola plena, 7'-8'	Double	Flowering	Plum
Double, pink flowers, April-May. Handson	me and v	ery useful	•
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.80	.65
3 to 4 ft	1.25	1.05	.85
JAPANESE CHERRIE	ES		
PRUNUS ichiyo (hisakura), 25'-35' Flowers double pink.			
2 to 3 ft	1.65	1.35	1.10
5 to 6 ft	4.10	3.50	1.10
6 to 8 ft	4.90	4.05	
-J. H. Veitch (fugenzo), 30' Flowers double pink.			
2 to 3 ft	1.65	1.35	1.10
3 to 4 ft	2.50	2.05	1.65
4 to 5 ft.	3.40	2.80	2.25
5 to 6 ft	4.10	3.50	2.75
6 to 8 ft	4.90	4.05	
Kwanzan (Serr. Sekiayama) (Kanzan), 40° Dbl. deep pink. The best double flowering thrifty, and well grown.	g cherry.	Ours are	young,
18 to 24 in.	.75	.60	.50
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.90	1.50	1.25
4 to 5 ft	2.60	2.20	1.75
6 to 8 ft.	$\frac{3.40}{4.50}$	$\frac{2.80}{3.75}$	2.25
— naden, 40' Semi-double. Pale pink. 6 to 8 ft.	4.90	4.05	3.00
8 to 10 ft	6.00	5.00	
— yeodoensis, 35' Single pile pank.		Yoshino (	Cherry
2 to 3 ft	1.10	.95	
3 to 4 ft	1.90	1.50	
5 to 6 ft	$\frac{2.60}{3.40}$	2.20	
6 to 7 ft.	$\frac{3.40}{4.50}$	$\frac{2.80}{3.75}$	$\frac{2.25}{3.00}$
	1.50	0, (0	3.00
PSEUDOTSUGA taxifolia (douglasi), 70'-80' Hardy. Dark bluish green coloring. Does location.	best in v	Doug vell draine	las-fir d
2 to 3 ft., B&B	4.90	4.05	3.25
3 to 4 ft., B&B	6.75	5.50	4.50
5 to 6 ft., B&B 1	11.25	9.50	7.50
PYRACANTHA coccinea lalandi, 9'-12' Evergreen. A beautiful broad-leaved ever of orange berries in the fall. Needs protect 12 to 15 in., Cans	green wit	he North.	usters
15 to 18 in., Cans	1.10 1.15	$\begin{array}{c} .95 \\ 1.25 \end{array}$	.75
, Comp	1.10	1.40	1.00

EXTRA CHARGE FOR DIGGING CHERRIES B&B. SEE B&B SCHEDULE PAGE 2-3



PRUNUS KWANZAN—We are eastern headquarters for Kwanzan Cherry. Our soil and climate seems especially adapted to the variety. Although the national supply is exceptionally low, due to the unfortunate freeze on the Pacific Coast, we are not taking advantage of the situation and raising prices.

We expect our supply next year to be bigger and better than ever before.

Reserve your future requirements now.

Unit Price in Quantities 1-9 10-49 50-249

PYRACANTHA crenulata, 9'-12'	Nepal Firethorn
Glossy foliage; bright red berries. Extremely	y attractive and
desirable.	
12 to 15 in., 5 in. Pots 1.50	1.25 $1.00$

# 

#### NURSERY GROWN OAKS

QUERCUS coccinea, 75'-90'		Sca	rlet Oak
Stately, tall grower. Deeply cut leaves. S	Striking a	autumn c	olor.
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	3.00	2.50	2.00
— palustris, 75'-100'  Most desirable and adaptable. Excellent	autumn	foliage.	Pin Oak
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.90	1.50	1.25
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft	3.75	3.00	2.50
8 to 10 ft., 1 to 1¼ in	5.60	4.75	3.75
9 to 11 ft., 1¼ to 1½ in	7.50	6.00	5.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	10.50	8.80	7.00
10 to 12 ft., 1 % to 2 in	13.50	11.00	9.00



QUERCUS palustris—Pin Oak. Better Pin Oak can't be grown.

	Unit 1-9	Price in Qu 10-49	
QUERCUS robur, 50'-60'		Eng	lish Oak
Interesting spreading habit.			
8 to 10 ft. 1 to 1¼ in	6.00	5.00	
9 to 11 ft. 1¼ to 1½ in	7.50	6.00	
— rubra (borealis maxima), 75'-90'  A quick growing and clean tree. Fine au	tumn c	Common :	Red Oak
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.50	3.75	3.00
9 to 11 ft., 1 ½ to 1 ½ in	8.50	7.00	5.50
10 to 12 ft., 1½ to 1¾ in	11.50	9.75	

## QUINCE, FLOWERING (See CYDONIA)

REDBUD (See CERCIS)

RETINOSPORA (See CHAMAECYPARIS)

RHAMNUS cathartica, 9'-10'	Cor	mmon Buc	kthorn
Dark green foliage. Black berries.			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60

	10		
RHAMUS frangula, 8'-9'	G	Blossy B	uckthorn
Excellent foliage. Red berries turning bl	ack wher	ripe.	
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
RHODODENDRON catawbiense, 6'-9'			odendron
Large rosy purple flowers, May-June. Doe	es best in	partial	shade.
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B	3.00	2.50	2.00
— maximum, 8'-10'			odendron
Striking light pink flowers, May-June. De	oes best i	n shade	d areas.
2 to 2½ ft., B&B	4.10	3.50	
2 ½ to 3 ft., B&B	5.00	4.00	
3 to 4 ft., B&B	$\frac{6.00}{9.00}$	$\begin{array}{c} 5.00 \\ 7.00 \end{array}$	
4 to 5 ft., B&B			
— mucronulatum, 6'			odendron
Violet-pink flowers, very early. Handsome	e scarlet-t	inted le	aves
in fall.	0 = 0	0.00	
15 to 18 in., B&B	3.50	$\frac{2.80}{5.00}$	
2 to 2½ ft., B&B	6.00	5.00	
HANDID BHODODENDI	ONG		
HYBRID RHODODENDH		of lamma	nlonta
In addition to the varieties listed we have a	number	oi large	plants
of fair and good quality which will be pric and size. Sold only on customer's personal s	ed accord	ning to	variety
and size. Sold only on customer's personal s	selection (	at the n	ursery.
HYBRID RHODODENDRONS 3'-8'			
Album elegans. Light blush changing to white	e. 2-2½';	2 1/2 - 3'.	
Caractacus. Red. 18-24"; 2-2½'.			
Catawabiense alba. White. 18-24", 2-2½'.			
Catawbiense grandiflora. Lavendar pink. 2-2 1/2	6': 2½-3	<i>'</i> .	
F. D. Godman. Crimson with dark blotch. 18-2			34.
Mrs. C. S. Sargent. Rich crimson. 12-15"; 15-		, , – /2	
President Lincoln. Lavender. 18-24"; 2-2½'.			
Roseum elegans. Lavender-pink. 2-2 ½'.			
Roseum superbum. Clear, soft coral-rose. 2 ½.	27		
12 to 15 in., B&B	3.50	2.90	
15 to 18 in., B&B	5.00	4.00	
18 to 24 in., B&B	7.50	6.00	
2 to 2½ in., B&B	10.00	7.50	
2 ½ to 3 ft., B&B	12.50	10.00	
See also AZALEA for species and varieties co	mmonly 1	known a	as Azalea.
RHODOTYPOS kerrioides (scandens), 4'-5'		Wh	ite Kerria
Fresh green foliage. White flowers, Ma	na Tuno		
black berries all winter.	ay, June.	Simily	beau-like
18 to 24 in	.70	.55	.45
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.45	1.20	.95



RHODOTYPOS kerriodes—White Kerria and KOLKWITZIA amabilis—Beautybush. Cut back, bushy plants.

	Unit 1 1-9	Price in Qua	ntities 50-249
RHUS canadensis (aromatica), 4'-5'		Fragrant	Sumac
Clusters of small, yellow flowers in Apr	il and		
bright coral red fruits in June. Aromatic			wed by
12 to 18 in	.45	.37	.30
18 to 24 in.	.60	.50	.40
2 to 3 ft	.75	.60	.50
— copallina, 12'-13'		Shining	Sumac
Showy crimson fruits. Rich autumn color	ing. Go		
dry locations.			
12 to 18 in	.37	.30	.25
18 to 24 in	.45	.37	.30
— cotinus, 14'-15'	Cor	nmon Smok	e Tree
Also called Purple Fringe. Large panicles	of featl	nery, filmy,	smoke-
appearing flowers.			
12 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
2 to 3 ft	1.10	1.00	.80
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.00	1.65	1.35
5 to 6 ft	2.40	2.00	1.60
— glabra, 10'-12'		Smooth	Sumac
Crimson fruits in bunches. Rich autumn	coloring	g. Good in	
poor soil.			
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40

### Unit Price in Quantities 1-9 10-49 50-249

RHUS trilobata, 3'		Lemonade	Sumac
A good, low growing sumac. Splendid fa	ll colorati	on.	
A good, low growing sumae, spreading in	45.	.37	.30
12 to 18 in	.60	.50	.40
		Pogo	-acacia
ROBINIA hispida, 5'-6'		Ruse-	-acacia
Rosy pink pea shaped flowers, May, Jun	ne.		0.5
18 to 24 in., Single stem	.55	.45	.35
2 to 3 ft., Single stem	.70	.55	.45
ROSA blanda, 4'-5'		Meadov	v Rose
Pink, May. Almost thornless. Reddish k	ranches.		
18 to 24 in.	.55	.45	.35
2 to 3 ft	.70	.55	.45
	Cold	en Rose of	China
— hugonis, 6'			
Bright yellow flowers. Reddish wood. Up	oright. Exc	ellent type	snrub
rose.	0.0	F 0	.40
12 to 18 in	.60	.50 $.60$	.50
18 to 24 in	$\begin{array}{c} .75 \\ 1.00 \end{array}$	.80	.65
2 to 3 ft	1.00 $1.20$	1.00	.80
5 (0 4 10,	1.20		
— humilis (carolina), 2'-3'		Pastur	
The common, sweetly scented, pink, wile	d rose of t	the pasture	es.
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
		Virgini	a Rose
— lucida (virginiana), 5'-6'	o tuvo lizin	Virgini	
— lucida (virginiana), 5'-6' Pink, June, July. Excellent border or n	naturalizin		
— lucida (virginiana), 5'-6'  Pink, June, July. Excellent border or neglect.		g variety.	Stands
— lucida (virginiana), 5'-6'  Pink, June, July. Excellent border or neglect.  12 to 18 in	.37	g variety.	Stands .25
— lucida (virginiana), 5'-6'  Pink, June, July. Excellent border or neglect.  12 to 18 in		g variety.	Stands
— lucida (virginiana), 5'-6'  Pink, June, July. Excellent border or neglect.  12 to 18 in	.37 .55	30 .45 .55	.25 .35 .45
— lucida (virginiana), 5'-6'  Pink, June, July. Excellent border or neglect.  12 to 18 in	.37 .55 .70	g variety30 .45 .55 Japanes	.25 .35 .45 e Rose
— lucida (virginiana), 5'-6'  Pink, June, July. Excellent border or neglect.  12 to 18 in	.37 .55 .70	g variety30 .45 .55 Japanes	.25 .35 .45 e Rose
— lucida (virginiana), 5'-6'  Pink, June, July. Excellent border or managed to 18 in	.37 .55 .70 grower. In	g variety30 .45 .55 Japanes	.25 .35 .45 e Rose
— lucida (virginiana), 5'-6'  Pink, June, July. Excellent border or reneglect.  12 to 18 in	.37 .55 .70 grower. Invation pla	g variety.  .30 .45 .55  Japanes 1 popular d nting. Use	Stands  .25 .35 .45  e Rose lemand these
— lucida (virginiana), 5'-6'  Pink, June, July. Excellent border or managed to 18 in	.37 .55 .70 grower. Invation pla	g variety30 .45 .55 Japanes	.25 .35 .45 e Rose
— lucida (virginiana), 5'-6'  Pink, June, July. Excellent border or manager.  12 to 18 in	.37 .55 .70 grower. Invation pla	g variety.  .30 .45 .55  Japanes n popular d nting. Use	.25 .35 .45 e Rose lemand e these
<ul> <li>— lucida (virginiana), 5'-6'</li> <li>Pink, June, July. Excellent border or managed to the second to the</li></ul>	.37 .55 .70 grower. In vation pla results. .18	g variety.  .30 .45 .55  Japanes n popular d nting. Use .15  Bristl	.25 .35 .45 e Rose lemand e these .12
<ul> <li>— lucida (virginiana), 5'-6'</li> <li>Pink, June, July. Excellent border or manager.</li> <li>12 to 18 in</li></ul>	.37 .55 .70 grower. In vation pla results. .18	g variety.  .30 .45 .55  Japanes n popular d nting. Use .15  Bristl	.25 .35 .45 e Rose lemand e these .12
<ul> <li>— lucida (virginiana), 5'-6'</li> <li>Pink, June, July. Excellent border or managed.</li> <li>12 to 18 in</li></ul>	.37 .55 .70 grower. In vation pla results. .18 ks and ge	g variety.  .30 .45 .55  Japanes n popular d nting. Use .15  Bristl neral mass	.25 .35 .45 e Rose lemand these .12 y Rose
<ul> <li>— lucida (virginiana), 5'-6'</li> <li>Pink, June, July. Excellent border or managed.</li> <li>12 to 18 in</li></ul>	.37 .55 .70 grower. In vation pla results. .18 ks and ge	g variety.  .30 .45 .55  Japanes n popular d nting. Use .15  Bristl neral mass	Stands  .25 .35 .45 e Rose lemand these .12 y Rose s plant30
<ul> <li>— lucida (virginiana), 5'-6'</li> <li>Pink, June, July. Excellent border or managed.</li> <li>12 to 18 in</li></ul>	.37 .55 .70 grower. In vation pla results. .18 ks and ge	g variety.  .30 .45 .55  Japanes n popular d nting. Use .15  Bristl neral mass	.25 .35 .45 e Rose lemand these .12 y Rose
<ul> <li>— lucida (virginiana), 5'-6'  Pink, June, July. Excellent border or managed to the second of the second o</li></ul>	.37 .55 .70 grower. In vation pla results. .18 ks and ge	g variety.  .30 .45 .55  Japanes n popular d nting. Use .15  Bristl neral mass .37 .50	.25 .35 .45 ee Rose lemand e these .12 y Rose s plant- .30 .40
<ul> <li>— lucida (virginiana), 5'-6' Pink, June, July. Excellent border or neglect.  12 to 18 in</li></ul>	.37 .55 .70 grower. In vation pla results. .18 ks and ge .45 .60 .75	g variety.  .30 .45 .55  Japanes n popular d nting. Use .15  Bristl neral mass .37 .50 .60 .75	.25 .35 .45 ee Rose demand these .12 y Rose s plant- .30 .40 .50 .60
<ul> <li>— lucida (virginiana), 5'-6' Pink, June, July. Excellent border or neglect.  12 to 18 in</li></ul>	.37 .55 .70 grower. In vation pla results. .18 ks and ge .45 .60 .75 .90	g variety.  .30 .45 .55  Japanes n popular d nting. Use .15  Bristl neral mass .37 .50 .60 .75	.25 .35 .45 ee Rose lemand e these .12 y Rose s plant- .30 .40 .50
<ul> <li>— lucida (virginiana), 5'-6' Pink, June, July. Excellent border or reneglect.  12 to 18 in</li></ul>	.37 .55 .70 grower. In vation pla results. .18 ks and ge .45 .60 .75 .90	g variety.  .30 .45 .55  Japanes n popular d nting. Use .15  Bristl neral mass .37 .50 .60 .75	.25 .35 .45 ee Rose demand these .12 y Rose s plant- .30 .40 .50 .60
<ul> <li>— lucida (virginiana), 5'-6' Pink, June, July. Excellent border or neglect.  12 to 18 in</li></ul>	.37 .55 .70 grower. In vation pla results. .18 ks and ge .45 .60 .75 .90	g variety.  .30 .45 .55  Japanes n popular d nting. Use .15  Bristl neral mass .37 .50 .60 .75  Swam	.25 .35 .45 ee Rose demand these .12 y Rose s plant- .30 .40 .50 .60 ap Rose
<ul> <li>— lucida (virginiana), 5'-6'</li> <li>Pink, June, July. Excellent border or managed.</li> <li>12 to 18 in</li></ul>	.37 .55 .70 grower. In vation pla results. .18 ks and ge .45 .60 .75 .90	g variety.  .30 .45 .55  Japanes n popular d nting. Use .15  Bristl neral mass .37 .50 .60 .75  Swam .30 .45	.25 .35 .45 e Rose lemand these .12 y Rose s plant- .30 .40 .50 .60 np Rose
<ul> <li>— lucida (virginiana), 5'-6'</li> <li>Pink, June, July. Excellent border or managed.</li> <li>12 to 18 in</li></ul>	.37 .55 .70 grower. Invation plaresults. .18 ks and ge .45 .60 .75 .90 location. .37 .55 .70	g variety.  .30 .45 .55  Japanes n popular d nting. Use .15  Bristl neral mass .37 .50 .60 .75  Swam .30 .45 .55	.25 .35 .45 e Rose lemand these .12 y Rose s plant- .30 .40 .50 .60 np Rose
<ul> <li>— lucida (virginiana), 5'-6'</li> <li>Pink, June, July. Excellent border or managed.</li> <li>12 to 18 in</li></ul>	.37 .55 .70 grower. In vation pla results. .18 ks and ge .45 .60 .75 .90	g variety.  .30 .45 .55  Japanes n popular d nting. Use .15  Bristl neral mass .37 .50 .60 .75  Swam .30 .45	.25 .35 .45 e Rose lemand these .12 y Rose s plant- .30 .40 .50 .60 np Rose



ROSA rugosa—Red Rugosa Rose. Very heavily branched; excellent in seaside plantings.

	Unit I 1-9	Price in Qu 10-49	antities 50-249
ROSA rubiginosa, 5'-6'		Sw	eetbrier
Bright pink flowers in June. Good foliag	e with a	romatic od	lor.
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	,90	.75	.60
— rugosa, 4'-6'		Red Rugo	sa Rose
Rich green foliage. Large red fruits. Pin Good seaside plant.	k flower	s June-Sej	otember.
18 to 24 in	.70	.55	.45
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.05	.90	.70
— setigera, 5'-6'		Prai	rie Rose
Deep rose flower. June-July. Vigorous g	rower.		
18 to 24 in.	.52	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.05	.90	.70
— wichuraiana white, 10'-12'			an Rose
Prostrate trailing plant. Rich, shiny fol White flowers, late blooming.	liage, al	most ever	green.
12 to 18 in., 1 year	.37	.30	.25
18 to 24 in., 1 year	.55	.45	.35
2 to 3 ft., 2 year	.70	.55	.45

el no le.			
SALIX babylonica, 50'-60'	Babylon	Weeping	Willow
One of the best weepers. Long pendulo	us brancl	nes. Excell	ent for
waterside planting.	as state.		
	.85	.70	.55
4 to 5 ft	1.25	1.05	.85
5 to 6 ft	$\frac{1.23}{1.90}$	1.50	
6 to 8 ft	1.30	1.00	
1 (	Colomor	Weeping	Willow
— — salamoni (sepulcralis), 40'-50'		weeping	W IIIO W
Similar to Babylonica, but not so pendu	lous.		
6 to 8 ft	1.90	1.50	
8 to 10 ft	2.60	2.20	1.75
10 to 12 ft	3.30	2.75	2.20
71 7 404 804	T7:	Weening	Willow
		Weeping	WIIIOW
Spreading habit. Pendulous at tips. Ha	rdy.		
4 to 5 ft	.85	.70	.55
5 to 6 ft	1.25	1.05	.85
6 to 8 ft	1.90	1.50	1.25
— caprea, 15'-20'		Goat	Willow
Very desirable for spring effects. Will do	well in	dry as well	as wet
places.		•	
18 to 24 in	.37	.30	.25
2 to 3 ft.	.55	.45	.35
3 to 4 ft	.70	.55	.45
0 00 1 10	•••	,,,,	•
olomanticcimo CO/ TO/	Thurley	Wooning	Willow
— elegantissima, 60'-70'		Weeping	Willow
- elegantissima, 60'-70' Vigorous upright grower; best for stree			Willow
			Willow
Vigorous upright grower; best for stree 5 to 6 ft	t planting	3.	$\frac{.85}{1.25}$
Vigorous upright grower; best for stree 5 to 6 ft	t planting 1.25	g. 1.05	.85
Vigorous upright grower; best for stree 5 to 6 ft	t planting 1.25 1.90	1.05 1.50 2.20	.85 1.25 1.75
Vigorous upright grower; best for stree  5 to 6 ft 6 to 8 ft 8 to 10 ft  — incana, 8'-10'	t planting 1.25 1.90 2.60	1.05 1.50 2.20 Eleagnus	.85 1.25 1.75 Willow
Vigorous upright grower; best for stree 5 to 6 ft	t planting 1.25 1.90 2.60	1.05 1.50 2.20 Eleagnus	.85 1.25 1.75 Willow
Vigorous upright grower; best for stree  5 to 6 ft 6 to 8 ft 8 to 10 ft  — incana, 8'-10'	t planting 1.25 1.90 2.60	1.05 1.50 2.20 Eleagnus	.85 1.25 1.75 Willow
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60	1.05 1.50 2.20 Eleagnus	.85 1.25 1.75 Willow
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60	1.05 1.50 2.20 Eleagnus bles Russia	.85 1.25 1.75 Willow an Olive
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  . Resemb	1.05 1.50 2.20 Eleagnus bles Russia	.85 1.25 1.75 Willow an Olive
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  Resemb .45 .60	1.05 1.50 2.20 Eleagnus oles Russia .37 .50	.85 1.25 1.75 Willow an Olive .30 .40
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  Resemb .45 .60 .75	1.05 1.50 2.20 Eleagnus bles Russia .37 .50 .60	.85 1.25 1.75 Willow an Olive .30 .40 .50
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  Resemb .45 .60 .75	1.05 1.50 2.20 Eleagnus oles Russia .37 .50	.85 1.25 1.75 Willow an Olive .30 .40 .50
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  Resemb .45 .60 .75  Niob	1.05 1.50 2.20 Eleagnus bles Russia .37 .50 .60	.85 1.25 1.75 Willow an Olive .30 .40 .50
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  7. Resemb .45 .60 .75 Niob	1.05 1.50 2.20 Eleagnus bles Russia .37 .50 .60 e Weeping	.85 1.25 1.75 Willow on Olive .30 .40 .50 Willow
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  Resemb .45 .60 .75  Niob	1.05 1.50 2.20 Eleagnus bles Russia .37 .50 .60	.85 1.25 1.75 Willow an Olive .30 .40 .50
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  7. Resemb .45 .60 .75 Niob	1.05 1.50 2.20 Eleagnus oles Russia .37 .50 .60 e Weeping	.85 1.25 1.75 Willow on Olive .30 .40 .50 Willow
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  Resemb .45 .60 .75 Niob .85 1.25	1.05 1.50 2.20 Eleagnus oles Russia .37 .50 .60 e Weeping	.85 1.25 1.75 Willow on Olive .30 .40 .50 Willow
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  C. Resemb .45 .60 .75 Niob .85 1.25	1.05 1.50 2.20 Eleagnus bles Russia .37 .50 .60 e Weeping .70 1.05 Laurel seaside pla	.85 1.25 1.75  Willow on Olive .30 .40 .50  Willow Willow on Willow
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  C. Resemb .45 .60 .75  Niob .85 1.25	1.05 1.50 2.20 Eleagnus bles Russia .37 .50 .60 e Weeping .70 1.05 Laurel seaside pla .50	.85 1.25 1.75 Willow an Olive .30 .40 .50 Willow
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  Resemb .45 .60 .75  Niob .85 1.25	1.05 1.50 2.20 Eleagnus bles Russia .37 .50 .60 e Weeping .70 1.05 Laurel seaside pla .50 .60	.85 1.25 1.75 Willow on Olive .30 .40 .50 Willow Willow 40 .50
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  T. Resemb .45 .60 .75 Niob .85 1.25	1.05 1.50 2.20 Eleagnus oles Russia .37 .50 .60 e Weeping .70 1.05 Laurel seaside pla .50 .60 .90	.85 1.25 1.75  Willow on Olive .30 .40 .50  Willow
Vigorous upright grower; best for stree  5 to 6 ft	t planting 1.25 1.90 2.60  Resemb .45 .60 .75  Niob .85 1.25	1.05 1.50 2.20 Eleagnus bles Russia .37 .50 .60 e Weeping .70 1.05 Laurel seaside pla .50 .60	.85 1.25 1.75 Willow on Olive .30 .40 .50 Willow Willow 40 .50

	1-0	10-10	00-210
SALIX vitellina aurea pendula, 25'-30'  Weeping tree similar to Salix babylonica, 5 to 6 ft	Ween with 1.25 1.90 2.60	oing Golden golden bran 1.05 1.50 2.20	Willow nches. .85 1.25 1.75
ST. JOHNSWORTH (See HYPERICUM)			
SCHOLARTREE (See SOPHORA)			
SHADBLOW (See AMELANCHIER)			
SILVERBELL (See HALESIA)			
SNOWBALL (See VIBURNUM)			
SNOWBELL (See STYRAX)			
SNOWBERRY (See SYMPHORICARPOS)			
SOPHORA japonica, 30'-40'	C	Chinese Sch	olartree
White flowers in late summer. Noticeab			
Also called Pagoda Tree. An excellent smacity conditions.	all stre	et tree, wit	hstands
2 to 3 ft	2.25	1.90	1.50
3 to 4 ft	3.75	3.00	2.50
4 to 5 ft	4.65	4.05	3.25
5 to 6 ft	6.75	5.50	4.50
6 to 8 ft	9.00	7.50	
8 to 10 ft	2.00	10.00	
SORBARIA aitchisoni, 4'-5'	Ka	shmir Fals	e-snirea
Graceful compound foliage. Creamy white			
3 to 4 ft	.85	.70	.55
4 to 5 ft.	1.05	.90	.70
5 to 6 ft	1.30	1.10	.90
SORBUS aucuparia, 25'-30'	Euro	pean Mount	ain-ash
A valuable tree on a small lawn; the scar		-	
striking.			J
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.25	1.90	1.50
	3.00	2.50	2.00
	4.65	4.05	3.25
	6.00	5.00	
	7.50	6.00	
	$0.00 \\ 2.00$	8.00	
12 to 14 ft., 2 ½ to 5 fft	2.00	10.00	
SOURGUM (See NYSSA)			
SOURWOOD (See OXYDENDRON)			
SOUTHERN BUSH HONEYSUCKLE (See DIE	DVITT	4.5	
	RVILL	(AL)	
SPICE BUSH (See BENZOIN)		~ -	
SPIREA arguta, 5'-6'		Garland	
Very free flowering. Somewhat similar to	thunb	ergi but mo	re
vigorous.			
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.00	.80	.65

CONTROL 1 111		Billiard	Spirea
SPIREA billiardi, 5'-6' Bright pink, fluffy flower spikes, July-Oct	oher Go	od in dry	
	0,001. 00.	J (	
locations.	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 it			
— bumalda Anthony Waterer, 3'		y Waterer	
Deen rich rose-nink Sometimes slight va	ariegatio	n in foliag	e.
Blooms all summer. Rich, reddish green	foliage.		
9 to 12 in	.30	.25	.20
12 to 15 in	.37	.30	.25
15 to 18 in	.55	.45	.35
18 to 24 in	.70	.55	.45
2 to 2½ ft	.85	.70	.65
2 ½ to 3 ft	1.00	.80	.00
		Frobel	Spirea
— froebeli, 4'-5'	Wataran		
Taller and more vigorous than Anthony	waterer	WICH DIEST	tt pink
flowers.	9.9	.27	.22
12 to 18 in	.33 $.55$	.45	.35
18 to 24 in.	.70	.55	.45
2 to 2 ½ ft	.85	.70	.55
2 ½ to 3 ft	1.05	.90	.70
3 to 4 lt	1.00	.00	
— japonica coccinea, 3'	Crimson	Japanese	Spirea
Similar in growth to Spirea Anthony Wa	terer. Fla	owers vivid	d crim-
son. A superior type.			
12 to 15 in	.37	.30	.25
15 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 2 ½ ft	.75	.60	.50
		201.73	
— prunifolia plena, 7'-8'			wreath
The true bridalwreath. White double flow	vers in a	bundance.	
Glossy dark green leaves. Rich fall cold			0.0
12 to 18 in	. 3 3	.27	.22
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
— reevesiana, 7'-8'		Reeves	Spirea
Pure white, May-June. Graceful, arching	hahit R		-
late in season.	IICOIO. IO	otain ionas	50 411011
15 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
— thunbergi, 4'-5'		Thunberg	
Slender arching branches covered with May. Feathery light green foliage.	pure wh	ite flowers	, April-
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 2 ½ ft	.70	.55	.45
2 ½ to 3 ft	.85	.70	.55
,			



SPIREA vanhouttei—Vanhoutte Spirea and PRUNUS glandulosa rosea—Pink Flowering Almond. Both are indispensable varieties. Note the heavy branching.

	Unit 1 1-9	Price in Qu 10-49	antities 50-249
SPIREA tomentosum, 4'		H	ardhack
Wooly, rose-pink flowers, July-September plantings.	. Good	in lowgrou	ınd
12 to 18 in	.37	.30	.25
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
— vanhouttei, 8'-9'  White, May-June. Graceful habit. Free flo	wering	Vanhoutte	_
12 to 18 in	.30	.25	.20
18 to 24 in.	.37	.30	.25
2 to 3 ft	.52	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.90	.75	.60
STAPHYLEA colchica, 10'-12' Fragrant white flowers in May and June		Colchis Bla	
3 to 4 ft	1.05	.90	.70
4 to 5 ft	1.45	1.20	.95
5 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.10	1.75	1.40

	1-9	10.49	00-210
STAPHYLEA trifoliata, 10'-15'	A	merican Bla	addernut
Dense shrub with numerous upright br			
tive seed pods.	anches		
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.45	1.20	.95
SPURGE (See PACHYSANDRA)			
STEPHANANDRA flexuosa, 5'-6'	Cı	utleaf Steph	nanandra
Graceful, compact habit; handsome fol	liage.		
15 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
		-	
STEWARTIA pseudocamellia, 20'-25'		Japanese S	
Large, attractive shrub. White stamens	and or		
12 to 18 in	1.50	1.25	1.00
18 to 24 in	2.75	1.90	1.50
2 to 3 ft	3.00	2.50	2.00
STYRAX japonica, 12'-15'		Japanese	Snowbell
White bell-shaped pendant flowers, Jun	e-July		
handsome specimen.			
18 to 24 in., B&B	3.00	2.50	2.00
2 to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	4.65	4.05	3.25
4 to 5 ft., B&B	6.75	5.50	
5 to 6 ft., B&B	8.50	7.00	
6 to 8 ft., B&B		8.80	
8 to 10 ft., B&B	13.50	11.00	*******
SUMAC (See RHUS)			
SUMMERSWEET (See CLETHRA)			
SWEET GUM (See LIQUIDAMBAR)			
SWEETLEAF (See SYMPLOCUS)			
SYCAMORE (See PLATANUS)			
SYMPHORICARPOS chenaulti, 6'-8'		Chenault S	nowberry
Brighter berries than vulgaris. Excelle	ent for s	shade plant	ings.
12 to 18 in	.30	.25	.20
18 to 24 in		.30	.25
2 to 3 ft	.52	.45	.35
3 to 4 ft	.70	.55	.45
Na serve (albert) W. O.		a	
- racemosus (albus), 5'-6'	0 - 3 :		nowberry
Conspicuous white berries. Attractive and moist locations.	foliage.	Good in h	alf shade
12 to 18 in	.25	.21	.17
18 to 24 in		.27	.22
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40





SYRINGA vulgaris—Common Purple Lilac and SYRINGA japonica—Japanese Tree Lilac. Our Lilacs are all of comparable quality.

	Unit Price in Quantities		
	1-9	0-49	50-249
SYMPHORICARPOS vulgaris (orbiculatus), 4	·'-5'	Coi	alberry
Coral-red berries through winter. Good in			
12 to 18 in		.21	
18 to 24 in	.33	.27	.22
2 to 3 ft	.45	.37	.30
SYMPLOCUS paniculata, 25'-40'		S	weetleaf
Deciduous shrub with slender spreading fragrant flowers.	branches	. Hardy	; white
18 to 24 in	.70	.55	
2 to 3 ft	.85	.70	
SYRINGA chinensis (rothomagensis), 8'-9'		Chine	se Lilac
Slender branches. Graceful habit. Violet f Free-flowering.	dowers in	May.	
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	
—— saugeana, 8'-9'	Purp	le Chine	se Lilac
Deep purple flowers.			
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.90	.75	.60

SYRINGA japonica, 18'-20'	Jaj	anese Tre	e Lilac
Loose bunches of creamy white flowers,			
foliage. Develops into well-shaped small	tree. A lo	vely varie	ty
for landscaping.			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.80	.65
4 to 5 ft	1.20	1.00	.80
		T - 4	- T :100
— villosa, 7'-8'			e Lilac
Pale pinkish-lilac, fragrant. Compact, b	ushy habi	t.	2.2
12 to 18 in	.33	.27	.22
18 to 24 in	.45	.37	.30 $.40$
2 to 3 ft	.60	.50 $.70$	.55
3 to 4 ft	$\frac{.85}{1.05}$	.90	
4 to 5 ft	1.00	.00	
— vulgaris, 12'-15'	Comn	non Purple	Lilac
Delicate purple flowers, fragrant. May.			
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.90	.75	$.60 \\ .75$
4 to 5 ft	1.10	.95	. ( )
	Q	TI7h:+	o Tiloo
— — alba, 12'-15'	Com	mon Whit	е шпас
Fragrant, white, single flowers. May.			0.0
15 to 18 in	.45	.37	.30
18 to 24 in	.60	.50 $.60$	.40
2 to 3 ft	$\begin{array}{c} .75 \\ 1.00 \end{array}$	.80	.65
3 to 4 ft	1.00	.00	
FRENCH LILACS—NAMED	VARIETI	ES	
Adelaide Dunbar. Double. Red. 12-18"; 18-2	$9.40 \cdot 0.00$		
Alphonse Lavalle. Double. Blue. 12-18"; 18-	4, 9, 2		
Belle de Nancy. Double. Pink. 12-18"; 18-24	7; 2-3.		
Charles Joly. Double. Red. 12-18"; 18-24"; 2	2-3'; 3-4'.		
Congo. Single. Red. 12-18"; 18-24".			
Ellen Willmott. Double. White. 12-18"; 18-2	4"; 2-3'.		
Florent Stepman. Single. White large flower.	12-18"; 1	18-24"; $2-3$	3′.
Jan Van Tol. Single. White. 12-18"; 18-24".			
Ludwig Spaeth. Single. Red. 12-18"; 18-24".			
Mme. Casimir Perier. Double. White. 12-18"		2-3'.	
Mme. F. Morel. Single. Red. 12-18"; 18-24".			
Mme. Lemoine. Double. White. 12-18"; 18-2	4"; 2-3'.		
Marie LeGraye. Single. White. 12-18"; 18-24	"		
Michel Buchner. Double. Pinkish lilac. 12-13		': 2-3'.	
Mont Blanc. Single. White. 12-18"; 18-24";		,	
President Grevy. Double. Light blue. 12-18"		2-3/	
		μ·υ .	
President Lincoln. Single. Clear blue. 12-18"		944 9 94	
President Poincare, Double, Clear purple, 12		24'; Z-3'.	
Wm. Robinson. Double. Pink. 12-18"; 18-24	4		





FRENCH HYBRID LILACS—Our variety list includes only the best strong growing, heavy blooming kinds. Our Lilacs are good.

	Unit P 1-9	rice in Qu 10-49	
FRENCH LILAC PRI	CES		
12 to 18 in	.60	.50	.40
18 to 24 in	.85	.70	.55
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.30	1.10	.90

<sup>\*</sup>Our variety list is very large, covering many excellent kinds not listed here. If you desire to leave your selections by color to us, there will be a  $5\phi$  per plant reduction.

TAMARIX parviflora, 12'-14'		Algerian '	l'amarix
Panicles of pink flowers. Blue green everg	reen	appearing	foliage.
18 to 24 in.	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
— pentandra (Amurensis), 12'-15'	F	ivestamen '	Famarix
Slender and spreading growth. Pink flower	s in	August. Lil	kes very
dry or sandy soils.			
18 to 24 in	. 37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45

TAMARIX Pink Cascade, (Plant Patent N	To. 1275)		
A section ding povolty Masses of Ci	ascading	nesn-pink	pan-
icles in late summer. Excellent for se	eashore p	lanting.	
18 to 24 in	.75	.60	.50
2 to 3 ft	.90	.75	.60
2 to 3 lt,			
		7, 11	
TAXODIUM distichum, 75'-100'	Cor	nmon Bald	cypress
Tall pyramidal, symmetrical, deciduous	tree, with	n feathery	foliage.
Distinct in appearance.			
3 to 4 ft., B&B	6.50	5.40	12122
4 to 5 ft., B&B	8.00	6.50	5.25
5 to 6 ft., B&B	10.00	8.00	
TAXUS—THE YEV			
TAXUS baccata repandens, 18"-24"		ding Engli	
Spreading. Horizontal branches. Dark g	reen foli	iage. Excel	lent for
	,	3	
low planting.	2.25	1.90	1.50
9 to 12 in., B&B 15 to 18 in., B&B	4.50	3.75	3.00
18 to 24 in., B&B	6.00	5.00	4.00
18 to 24 m., B&B	0,00		
121 101 04-61	Spread	ling Japan	ese Yew
— cuspidata, 10'-15' Rich, deep green leaves Spreading, bus			
Rich, deep green leaves spreading, bus	0.40	2.00	1.60
12 to 15 in., B&B	2.40	3.50	$\frac{1.00}{2.75}$
15 to 18 in., B&B	$\begin{array}{c} 4.10 \\ 6.00 \end{array}$	5.00	4.00
18 to 24 in., B&B	7.50	6.00	5.00
2 to 2½ ft., B&B	1.00	0,00	
— — nana (brevifolia), 2'-3'	Dy	varf Japan	ese Yew
Broad, thick leaves, very dark green.			
Broad, thick leaves, very dark green.	Dwarnsn	and most	
spreading habit. Very hardy.	2.50	2.05	1.65
9 to 12 in., B&B	$\frac{2.30}{3.75}$	3.00	$\frac{1.00}{2.50}$
12 to 15 in., B&B	5.90	4.90	
15 to 18 in., B&B	0.00	1.00	
—— sieboldi, 10'-15'	rge Berri	ed Spreadi	ng Type
A selected strain of Taxus cuspidata. F			
	Tuit laig	e, borne m	
profusion.	2.40	2.00	1.60
12 to 15 in., B&B	6.35	5.30	4.25
2 to 2½ ft., B&B	9.00	7.50	6.00
2 to 2 ½ ft., B&B	0.00	••••	
— — thayeri, 6'-8'	Thav	ers Spread	ing Yew
		Promi	
Low, wide, spreading form. Dark green	6.00	5.00	
18 to 24 in., B&B 2 to 2 ½ ft., B&B	7.50	$\frac{3.00}{6.00}$	
2 to 2 ½ It., B&B	1.00	0.00	
11. 40/ 48/		Ul	rid Von
— intermedia, 12'-15'		Flyt	rid Yew
Hybrid between baccata and cuspidata.	2.00	9 50	2.00
12 to 15 in., B&B	3.00	2.50	2.00
C A			





TAXUS media hatfieldi—Hatfield Yew. The finest upright Taxus.

	Unit	Price in Qu	antities
	1-9	10-49	
TAXUS media browni, 10'-12'		Broad Uprig	tht Yew
An outstanding variety. Excellent dark	gree	n foliage. C	ompact.
medium spreading. Shears well. Can be	used	as a specir	nen for
hedge or foundation plantings. Full and			
15 to 18 in., B&B			3.00
2 to 2½ ft., B&B	8.50	7.00	5.50
— — hatfieldi, 8'-10'		Hatfie	eld Yew
Similar to Hicks Yew, but more compact.			
12 to 15 in., B&B	2.50	2.05	1.65
15 to 18 in., B&B	3.75	3.00	2.50
18 to 24 in., B&B		4.40	3.50
,	0.20	1,10	0.00
—— hicksi, 20'-25'		Hie	ks Yew
Columnar form with upright branches.		1110	1011
15 to 18 in., B&B	3.00	2.50	2.00
40.4 04.4	4.50	3.75	3.00
3 to 3½ ft., B&B		8.80	
0 to 0/2 Iti, D&D	10.50	0.00	7.00
—— ovata, 20'-25'		0	(T) -
	6		Taxus
Rich dark green foliage; broad columnar			
· ·	3.00	=	2.00
18 to 24 in., B&B	4.50	3.75	3.00



THUJA occidentalis globosa—Globe Arborvitae. Very hardy, slow growing, bushy sheared plants. THUJA occidentalis pyramidalis—Pyramidal Arborvitae in the background.

Unit Price in Quantities 1-9 10-49 50-249

#### THUJA-Arborvitae

THUJA occidentalis compacta, 2½'-4'	I	Parsons Arb	orvitae
Bright green. Almost globe shaped,			
9 to 12 in., B&B	1.50	1.25	1.00
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.85	2.35	1.90
— — elegantissima, 10'-15'	Golde	ntipped Arb	orvitae
Evergreen. Branches tipped with yellow.	Rich,	lustrous gre	een.
15 to 18 in., B&B	1.65	1.35	1.10
18 to 24 in., B&B	1.90	1.50	1.25
—— globosa, 3'-4'		Globe Arb	orvitae
Rich green. Globe shape.			
9 to 12 in., B&B	1.50	1.25	1.00
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.85	2.35	1.90
— hoveyi, 3'-4'		Hovey Arl	
Evergreen. Oval in shape, nearly as broa	d as h	igh. Bright	green
foliage.	9.05	9 9 5	1.90
15 to 18 in., B&B			
18 to 24 in., B&B	3.60	2.85	2.25





THUJA occidentalis nigra—Dark American Arborvitae. Certainly the best tall growing Arborvitae. Good dark green foliage throughout the winter.

	Unit Price in Quantitie		
	1-9	10-49	50-249
THUJA occidentalis plicata, 10'-12'		Moss Ar	borvitae
Formal pyramid. Rich blue-green foliage give pleasing effect.	. Shor	t, stiff bran	chlets
2 to 2½ ft., B&B	2.60	2.20	1.75
——————————————————————————————————————		Giant Ar	borvitae
Rich, shining, deep green, fleshy leaves.			
2 to 3 ft., B&B	3.00	2.50	
3 to 4 ft., B&B	4.50	3.75	
4 to 5 ft., B&B	6.00	5.00	
		merican Ar	
New improved strain of American Arbon	vitae;	more sym	metrical
in form, deeper in color, especially during	g the v	winter. Gro	wn from
cuttings. Very desirable. The best of the			
green. Compact. Shears well.			
2 to 2 ½ ft., B&B	2.60	2.20	1.75
2 ½ to 3 ft., B&B	3.40	2.80	2.25
3 to 4 ft., B&B	4.50	3.75	3.00
— — pyramidalis, 15'-30'	Py	ramidal Ar	borvitae
Bright, rich green foliage, narrow column	ar sh	ape.	
2 to 2½ ft., B&B	2.60	2.20	1.75
2 ½ to 3 ft., B&B	3.40	2.80	2.25
3 to 4 ft., B&B	4.50	3.75	3.00
—— wareana, 12'-15'		Siberian Ar	borvitae
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B		1.50	
18 to 24 in., B&B		2.05	
2 to 3 ft., B&B	3.25	2.75	



THUJA orientalis aurea nana — Berckman's Golden Arborvitae.

#### GOLDEN BIOTA

## OURS ARE AN EXCELLENT LOT!

THESE PLANTS ARE FULL, BRIGHT AND ATTRACTIVE.

THEY ARE AN ABSOLUTE NECESSITY FOR THE SALESYARD OR PLANT MARKET

#### A REAL MONEY MAKER

RICH, GOLDEN YELLOW FOLIAGE

Thuja orientalis aurea nana, 2½-3'

Berckmans Golden Arborvitae

	Unit Price in Quantities				
	1-9	10-49	50-249		
9 to 12 in., B&B	1.50	1.25	1.00		
12 to 15 in., B&B	1.90	1.50	1.25		
15 to 18 in., B&B	2.60	2.20	1.75		
18 to 21 in., B&B	3.30	2.75	2.20		
2 to 2 ½ ft., B&B	4.25	3.55			

WE HAVE A LARGE ASSORTMENT OF THE BEST SALES YARD ITEMS

COME EARLY AND MAKE YOUR SELECTION

	Unit 1-9	Price in Qu 10-49	antities 50-249
TILIA americana, 75'-90'		Americar	Linden
Grows rather quickly, forming an open he flowers.	ead. H	as fragrant	, yellow
6 to 8 ft	2.60	2.20	1.75
8 to 10 ft	3.40	2.80	2.25
8 to 10 ft., 1½ to 1¾ in	4.50	$\frac{2.30}{3.75}$	
9 to 11 ft., 1 ¾ to 2 in	5.60	4.75	******
10 to 12 ft., 2 to 2 ¼ in.	6.75	5.50	******
	0.75	5.50	
HEMLOCK			
TSUGA canadensis, 75'-90'		Canada I	
Most graceful and adaptable. Excellent for planting. Shears well.	or hedg	ge or infor	mal
1½ to 2 ft., B&B	3.40	2.80	2.25
2 to 2½ ft., B&B	4.90	4.05	3.25
2½ to 3 ft., B&B	6.75	5.50	4.50
TULIPTREE (See LIRIODENDRON)			
ULMUS americana, 80'-100'		Ameri	ean Elm
ULMUS americana, 80'-100'  Fast growing, forming graceful head		Ameri	can Elm
Fast growing, forming graceful head.	2 10		
Fast growing, forming graceful head. 6 to 8 ft.	2.10	1.75	1.40
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft.	2.10 $3.40$ $4.50$		
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1 1/4 to 1 1/2 in.	3.40	1.75 $2.80$ $3.75$	1.40 $2.25$ $3.00$
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1 1/4 to 1 1/2 in	3.40 4.50	1.75 2.80 3.75 Mo	1.40 2.25 3.00
Fast growing, forming graceful head. 6 to 8 ft	3.40 4.50	1.75 2.80 3.75 Mo	1.40 2.25 3.00 line Elm foliage.
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in.  —— Moline, 80'-100' A remarkable variety with handsome large 6 to 8 ft.	3.40 4.50 se, dee 2.10	1.75 2.80 3.75 Mo ply grained 1.75	1.40 2.25 3.00 line Elm foliage. 1.40
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in.  —— Moline, 80'-100' A remarkable variety with handsome large 6 to 8 ft. 8 to 10 ft., 1 to 1¼ in.	3.40 4.50 se, dee 2.10 3.40	1.75 2.80 3.75 Mo ply grained 1.75 2.80	1.40 2.25 3.00 line Elm foliage. 1.40 2.25
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1 ½ to 1 ½ in.  —— Moline, 80'-100'  A remarkable variety with handsome larg 6 to 8 ft. 8 to 10 ft., 1 to 1 ½ in. 9 to 11 ft., 1 ¼ to 1 ½ in.	3.40 4.50 ge, dee 2.10 3.40 4.50	1.75 2.80 3.75 Mo ply grained 1.75 2.80 3.75	1.40 2.25 3.00 line Elm foliage. 1.40 2.25 3.00
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in.  ——Moline, 80'-100'  A remarkable variety with handsome large 6 to 8 ft. 8 to 10 ft., 1 to 1½ in. 9 to 11 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in.	3.40 4.50 se, dee 2.10 3.40	1.75 2.80 3.75 Mo ply grained 1.75 2.80	1.40 2.25 3.00 line Elm foliage. 1.40 2.25
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in.  — Moline, 80'-100'  A remarkable variety with handsome large 6 to 8 ft. 8 to 10 ft., 1 to 1½ in. 9 to 11 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in.  — "PRINCETON", 80'-100'	3.40 4.50 se, dee 2.10 3.40 4.50 6.00	1.75 2.80 3.75 Mo ply grained 1.75 2.80 3.75 5.00 Prince	1.40 2.25 3.00 line Elm foliage. 1.40 2.25 3.00
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in.  ——Moline, 80'-100' A remarkable variety with handsome large 6 to 8 ft. 8 to 10 ft., 1 to 1½ in. 9 to 11 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in.  ——"PRINCETON", 80'-100' A selected strain of American Elm. All buing habit. Glossy foliage.	3.40 4.50 se, dee 2.10 3.40 4.50 6.00	1.75 2.80 3.75 Mo ply grained 1.75 2.80 3.75 5.00 Prince	1.40 2.25 3.00 line Elm foliage. 1.40 2.25 3.00
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in.  ——Moline, 80'-100' A remarkable variety with handsome large 6 to 8 ft. 8 to 10 ft., 1 to 1¼ in. 9 to 11 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in.  ——"PRINCETON", 80'-100' A selected strain of American Elm. All but	3.40 4.50 se, dee 2.10 3.40 4.50 6.00	1.75 2.80 3.75 Mo ply grained 1.75 2.80 3.75 5.00 Prince	1.40 2.25 3.00 line Elm foliage. 1.40 2.25 3.00
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in.  ——Moline, 80'-100' A remarkable variety with handsome large 6 to 8 ft. 8 to 10 ft., 1 to 1½ in. 9 to 11 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in.  ——"PRINCETON", 80'-100' A selected strain of American Elm. All buing habit. Glossy foliage.	3.40 4.50 se, dee 2.10 3.40 4.50 6.00	1.75 2.80 3.75 Mo ply grained 1.75 2.80 3.75 5.00 Prince	1.40 2.25 3.00 line Elm foliage. 1.40 2.25 3.00 
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1 ½ to 1 ½ in.  ——Moline, 80'-100'  A remarkable variety with handsome large 6 to 8 ft. 8 to 10 ft., 1 to 1 ¼ in. 9 to 11 ft., 1 ¼ to 1 ½ in. 10 to 12 ft., 1 ½ to 1 ¾ in.  ——"PRINCETON", 80'-100'  A selected strain of American Elm. All but ing habit. Glossy foliage. 6 to 8 ft. 8 to 10 ft., 1 to 1 ¼ in. 8 to 10 ft., 1 to 1 ¼ in. 8 to 10 ft., 1 ¼ to 1 ½ in.	3.40 4.50 se, dee 2.10 3.40 4.50 6.00	1.75 2.80 3.75 Mo ply grained 1.75 2.80 3.75 5.00 Prince stock. Good	1.40 2.25 3.00 line Elm foliage. 1.40 2.25 3.00 
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1 ½ to 1 ½ in.  ——Moline, 80'-100'  A remarkable variety with handsome large 6 to 8 ft. 8 to 10 ft., 1 to 1 ½ in. 9 to 11 ft., 1 ¼ to 1 ½ in. 10 to 12 ft., 1 ½ to 1 ¾ in.  ——"PRINCETON", 80'-100'  A selected strain of American Elm. All buing habit. Glossy foliage. 6 to 8 ft. 8 to 10 ft., 1 to 1 ¼ in.	3.40 4.50 se, dee 2.10 3.40 4.50 6.00 added s	1.75 2.80 3.75 Mo ply grained 1.75 2.80 3.75 5.00 Prince stock. Good	1.40 2.25 3.00 line Elm foliage. 1.40 2.25 3.00  eton Elm spread- 1.40 2.25
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1 ½ to 1 ½ in.  ——Moline, 80'-100'  A remarkable variety with handsome large 6 to 8 ft. 8 to 10 ft., 1 to 1 ¼ in. 9 to 11 ft., 1 ¼ to 1 ½ in. 10 to 12 ft., 1 ½ to 1 ¾ in.  ——"PRINCETON", 80'-100'  A selected strain of American Elm. All but ing habit. Glossy foliage. 6 to 8 ft. 8 to 10 ft., 1 to 1 ¼ in. 8 to 10 ft., 1 to 1 ¼ in. 8 to 10 ft., 1 ¼ to 1 ½ in.	3.40 4.50 se, dee 2.10 3.40 4.50 6.00 added s 2.10 3.40 4.50	1.75 2.80 3.75 Mo ply grained 1.75 2.80 3.75 5.00 Prince stock. Good 1.75 2.80 3.75 4.75	1.40 2.25 3.00 line Elm foliage. 1.40 2.25 3.00  eton Elm 1 spread- 1.40 2.25 3.00
Fast growing, forming graceful head. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1 ½ to 1 ½ in.  ——Moline, 80'-100'  A remarkable variety with handsome large 6 to 8 ft. 8 to 10 ft., 1 to 1 ¼ in. 9 to 11 ft., 1 ¼ to 1 ½ in. 10 to 12 ft., 1 ½ to 1 ¾ in.  ——"PRINCETON", 80'-100'  A selected strain of American Elm. All but ing habit. Glossy foliage. 6 to 8 ft. 8 to 10 ft., 1 to 1 ¼ in. 8 to 10 ft., 1 to 1 ¼ in. 9 to 11 ft., 1 ¼ to 1 ½ in. 9 to 11 ft., 1 ¼ to 1 ½ in.	3.40 4.50 se, dee 2.10 3.40 4.50 6.00 added s 2.10 3.40 4.50 5.85	1.75 2.80 3.75 Mo ply grained 1.75 2.80 3.75 5.00 Prince stock. Good 1.75 2.80 3.75 4.75	1.40 2.25 3.00 line Elm foliage. 1.40 2.25 3.00  eton Elm 1 spread- 1.40 2.25 3.00 3.75

•			
VIBURNUM americana (trilobum), 8'-9'	America	n Cranbe	errybush
Good foliage. Bright scarlet berries all	winter.	Extremely	y hardy.
Good Ionage. Bright scarlet berries are	.45	.37	.30
12 to 18 in	.70	.55	.45
18 to 24 in	.85	.70	.55
2 to 3 ft	1.00	.80	.65
3 to 4 ft		1.00	.80
4 to 5 ft	1.20	1.00	.00
— burkwoodi, 4'		kwood V	
Medium open growing. Pinkish white fl	owers, M	ay, June	. Very
fragrant.			
2 to 2½ ft. B&B	4.10	3.50	2.75
2 1/2 to 3 ft B&B	4.65	₹ 4.05	3.25
3 to 4 ft., B&B	6.00	5.00	4.00
— carlesi, 4'-6'	Fr	agrant V	iburnum
One of the most desirable, semi-dwarf flo	owering	shrubs, v	vith very
fragrant flower clusters of white, shaded	d nink		
	3.00	2.50	
15 to 18 in., B&B		$\frac{2.50}{3.75}$	
18 to 24 in., B&B	4.50	$\frac{5.19}{5.00}$	*******
2 to 2½ ft., B&B	6.00	5.00	
— cassinoides, 5'-6'			Vithe-rod
White flowers, May-June. Pink berries c	hange to	blue. Ric	eh
autumn foliage coloring. Good planted	near wat	er.	
12 to 18 in	.55	.45	.35
12 to 18 in	,00	, 10	
— dentatum, 10'-12'			rowwood
White flowers, May-June. Blue-black	berries.	Purple	and red
autumn coloring. Excellent in wet soil.			
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
— dilatatum, 8'-9'			Viburnum
White flowers in May and June. Scarle	et showy	berries	persisting
late. Very handsome.	0.0	E0	.40
12 to 18 in	.60	.50	.50
18 to 24 in	.75	.60	
2 to 3 ft	.90	.75	.60
lantana, 15'-18'		Wayf	aring-tree
	11.13.0	•	
White flowers, May-June. Dark green w changing to black.	rinkied i	onage. ĸ	ed perries
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft.	.85	.70	.55
4 to 5 ft	1.05	.90	.70
— lentago, 18'-20'	me Disse		annyberry
White flowers, May, June. Glossy folia			
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
3 to 4 ft	.85	.70	.55

		Price in Qua	
	1-9	10-49	50-249
VIBURNUM molle, 10'-12'		entucky Vil	
White flowers, May and June. Large, dark fall coloring.	green	foliage. Go	od
12 to 18 in	.37	.30	.25
18 to 24 in.	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.90	.75	.60
— nudum, 15'		sumhaw Vik	
Glossy, waxy foliage, scarlet in fall. Show Thrives in wet ground.	vy, dar	k blue frui	ts.
12 to 18 in	.55	.45	.35
18 to 24 in	.70	.55	.45
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.05	.90	.70
		ean Cranber	
Very similar in habit of growth and fruit t	o Vibui	rnum ameri	canum.
12 to 18 in	.45	.37	.30
18 to 24 in	.70	.55	.45
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.05	.90	.70
— — nana, 18"-24"	Dw	arf Cranber	rybush
Very compact. Rarely flowers.			
4 to 6 in	.70	.55	.45
6 to 9 in	.90	.75	.60
—— sterile. 9'-10'		Common Sr	owhall
White flowers, May, June. Very showy.		Common pi	io w ball
12 to 18 in	.55	.45	.35
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.80	.65
3 to 4 ft	1.25	1.05	.85
			****
— prunifolium, 10'-12'		Bla	ackhaw
White flowers, May, June. Blue-black frui	ts.		
12 to 18 in	.70	.55	.45
18 to 24 in.	.90	.75	.60

write nowers, may, June. Blue-black in	ruits.		
12 to 18 in	.70	.55	.45
18 to 24 in.	.90	.75	.60
- rhytidophyllum, 6'-8'	Leatl	nerleaf Vil	burnum
Evergreen, Large oblong leaves, Deep green foliage.			
18 to 24 in., B&B		2.50	2.00
2 ½ to 3 ft., B&B		4.40	3.50
3 to 4 ft., B&B	7.50	6.00	

### - SETIGERUM (See Viburnum theiferum)

— sieboldi (japonicum), 9'-10'  White flowers, May, June. Pink fruits cha green foliage.		Siebold Vib o black. Ric	
12 to 18 in. 18 to 24 in. 2 to 3 ft.	$\begin{matrix} .45 \\ .60 \\ .85 \end{matrix}$	$\begin{array}{c} .37 \\ .50 \\ .70 \end{array}$	$\begin{array}{c} .30 \\ .40 \\ .55 \end{array}$

VIBURNUM theiferum (V. setigerum)		Tea Vibu	ırnum
Narrow, upright grower. Very handsome	foliage.	Brilliant, s	carlet
berries in clusters. A spectacular fall it	em.		
12 to 18 in	.70	.55	.45
18 to 24 in	$\frac{.90}{1.10}$	.75 $.95$	$.60 \\ .75$
2 to 3 ft	1.10 $1.30$	1.10	.90
3 to 4 It			
— tomentosum, 7'-8'		blefile Vib	
White flowers borne in flat heads, June.			•
12 to 18 in	.55 $.70$	.45 $.55$	.35 $.45$
18 to 24 in 2 to 3 ft	.90	.75	.60
3 to 4 ft	1.10	.95	
— wrighti, 7'-8'		Wright Vib	urnum
A native of Japan. Upright habit. Brig	ht scarle	et fruits pro	oduced
abundantly.		0.0	F 0
18 to 24 in,	1.00	$.60 \\ .80$	$.50 \\ .65$
2 to 3 ft	1.00	.00	.00
VINCA minor, 6"-8"		iwinkle or	Myrtle
Trailing evergreen. Glossy foliage. Blue Excellent ground cover in sun or shad	e flowers e.	in spring.	
3 in. pots, 2 year		.25	.20
VITEX macrophylla (latifolia), 3'-4' Lar	ge-leaved	Lilac Chas	te tree
Lilac flowers, August, September. Gray Prefers sun.			
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
VITIS labrusca, 40'		Fox	Grape
Very rapid growing vine. Excellent co quickly cover banks, fences, etc.	arse gro	und cover	or will
2 year, 2 to 3 ft	.60	.50	.40
2 year, 3 to 4 ft	.75	.60	.50
	70	10 17	
WEIGELIA Eva Rathke, 4'-5' Carmine, free flowering, June-August.		dflowered W	eigelia
12 to 18 in			9.5
18 to 24 in.		.45 $.55$	.35
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.05	.90	
— floribunda, 8'		Crimson V	Veigelia
Upright growing. Crimson flowers.			
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
3 to 4 ft	.60 $.75$	$\begin{array}{c} .50 \\ .60 \end{array}$	.40
0 00 1 100	. 10	.00	.50

	1-9	10-49	50-249
WEIGELIA Gustav Mallot, 6'-8'		Red '	Weigelia
Rose-red, June-August. Good grower.	The hardies	t of all W	eigelias.
18 to 24 in	6.0	.50	.40
2 to 3 ft	75	.60	.50
— rosea (florida rosea), 7'-8'		Dinle 1	T7 - 1 1
Pink flowers, June. Strong grower. Go	and foliage	PIHK	Weigelia
12 to 18 in.	37	.30	0.5
18 to 24 in.	55	.45	$.25 \\ .35$
2 to 3 ft		.55	.45
3 to 4 ft	.85	.70	.55
		****	.00
— Vaniceki, 5'-6'	Vani	cek Red V	Weigelia
Vigorous growing, red Weigelia. Simi	lar in flow	er and fo	liage to
Eva Rathke. The finest red Weigelia.	Very hardy		
18 to 24 in	.70	.55	.45
2 to 3 ft	.85	.70	.55
0 to 4 Pt	1.05	.90	.70
WHITE ASH (See FRAXINUS)			
WHITE KERRIA (See RHODOTYPOS)			
WILLOW (See SALIX)			
WINTERCREEPER (See EUONYMUS)			
WISTERIA floribunda macrobotrys (Multi	iuga). 35'-	50′	
• ` `		gcluster \	Wistoria
Has long drooping racemes of purple cover a trellis or pergola.	flowers. Un	usually fi	ne to
2 year grafts	.75	.60	.50
3 year grafts	1.00	.95	.75
11 OF 1 WA			
- alba, 35'-50' Fragrant white flowers.	White Lon	gcluster V	Wisteria
1 year grafts	.70	.55	.45
WITCH-HAZEL (See HAMAMELIS)			

Unit Price in Quantities

YEW (See TAXUS)

# SALES YARD SUGGESTIONS

A properly managed sales yard, or plant market, can be a

very profitable operation.

The following suggestions are made to assist you in selecting popular quick-selling varieties and in handling them successfully in your establishment. We will be pleased to help you select the very best plants for your own particular location or requirements.

### FLOWERING SHRUBS

Flowering shrubs established in pots or containers are easy to handle, solve your replacement problem, and give you a very long selling season. Moreover the plants steadily improve in appearance and fullness as the selling season advances. Pot as early in spring as possible.

In potting shrubs a No. 2 Cloverset, or similar sized pot is good for the average size shrub. Use a mixture of 1/3 fibrous peat, 1/3 loam or good top soil and 1/3 sand. Spread the roots evenly in the pot and firm the soil as the pot is filled. Leave a

rim of pot 1 to 11/2" above the soil to facilitate watering.

After potting, soak well with a liquid fertilizer at about ½ the strength the manufacturer recommends. Place potted plants in a lath house, shaded cold greenhouse, or in a well sheltered area. Shift plants and space out as foliage develops. In caring for all potted material, water thoroughly often enough to keep the soil moist and mellow, but definitely not wet and soggy. Apply liquid fertilizer once a month after growth starts.

### SHRUBS — Ideal for Potting

Deutzia gracilis rosea	Rose panicle Deutzia
Forsythia spectabilis	Showy Border Forsythia
Hydrangea, A.G.	Snowhill Hydrangea
Lonicera tatarica alba	
Lonicera tatarica aiba	
Lonicera tatarica rosea	Fink Tatarian Honeysuckie
Lonicera tatarica zabelli	Red Zabell Honeysuckle
Philadelphus lemoine	Lemoine Mockorange (dwarf)
Philadelphus virginalis	Virginal Mockorange
Prunus glandulosa pink	Pink Flowering Almond
Prunus triloba plena	
Prunus triioba piena	
Rosa hugonis (Shrub-rose)	
Spirea bumalda Anthony Waterer	Anthony waterer Spirea
Spira prunifolia plena	Bridalwreath
Spirea vanhouttei	Vanhoutte Spirea
Syringa vulgaris	
Syringa vulgaris alba	Common White Lilac
Syringa vulgaris arba	
Syringa vulgaris hybrids	
Vitex macrophylla	Large-leaf Lilac Chaste Tree
Weigelia Eva Rathke	Redflowered Weigelia
Weigelia rosea	
11 018 0110	

#### SHADE, ORNAMENTAL AND FLOWERING TREES

New housing has created a remarkable demand for shade and flowering trees. Sales yard operators can capitalize on this demand because potted trees are easy to handle, thrive after planting and can be sold throughout the entire spring season and on into summer. It is best to pot small sized trees for the cash and carry business. Large sizes require too heavy a container and will not go in or on a passenger car.

For potting small trees the No. 4 Cloverset pot, or its equivalent is a good size. Use the same potting soil mixture and procedure as for shrubs. After potting soak thoroughly with liquid fertilizer at ½ the manufacturer's recommended dilution.

Place potted trees under a high lath shade, or in a protected location and space out as foliage and branches develop. Stake slender or weeping trees with a light bamboo cane. Fertilize with liquid fertilizer once a month.

The following list of trees covers the best varieties for potting and the sizes recommended are easily re-established and handled.

### TREES — Ideal for Potting

Acer platanoides, 5/6' & 6/8'	Norway Maple
Acer platanoides schwedleri, 5/6' & 6/8'	
Acer rubrum, 5/6'	
Betula alba, $4/5'$	European White Birch
Crataegus mollis, 4/5'	
Cole's Sunburst Locust Whips (Plant Pat. No. 13	13)
Moraine Locust Whips (Plant Pat. No. 836)	
Malus assorted, 4/5' & 5/6'	Flowering Crab
Platanus acerifolium, 5/6' & 6/8'	London Planetree
Prunus Newport, 3/4'	
Prunus subhirtella pendula, 4/5' & 5/6'Wee	
Prunus Kwanzan, 4/5' & 5/6'Double I	Pink Flowering Cherry
Quercus palustris, 5/6'	
Salix elegantissima, 5/6' & 6/8'Thu	arlow Weeping Willow

# EVERGREENS AND OTHER BALLED AND BURLAPPED PLANTS

Balled and burlapped plants are of course "tailor made" for the plant market. They are in good demand and are easy to handle.

Display them under a lath house, or in a suitable partially shaded or protected area. Cut the strings around the branches as soon as they are received. Heel the balls in neat beds of peat moss or saw dust. Moderately raised beds make the plants appear at their best. Label each plant individually as to variety and price.

As soon as active growth begins in the spring, spray every

two weeks with a foliar feeding spray at 1/2 the manufacturer's recommended dilution, or inject the mixture into the balls with a root feeding needle. Plenty of nitrogen is necessary to maintain good foliage color in B&B plants growing actively.

The following list covers the most popular and profitable

varieties.

### **Balled and Burlapped Plants**

Glossy Abelia Amoena Azalea
Hinodegiri Azalea
Hinodegiri Azalea Assorted Colors
Tibbol tou Colors
Tume rectinospora
Dittle Beaved Holly
Hetz Blue Juniper
Pfitzer Juniper
Irish Juniper
Sniny Greek Juniner
Spiny Greek Juniper
Mountain Laurel
Saucer Magnona
Oregon Hony Grape
Spreading Japanese 16w
Dwart Japanese 1ew
Hatfield Yew (upright)
Globe Arborvitae
Dark American Arborvitae
Dyramidal Arbaryitaa
Pyramidal Arborvitae
ta)
Berckman's Golden Arborvitae

# A HELPFUL SERVICE

### WHAT SHALL I PLANT?

To assist in the proper selection of plant material for various conditions, uses and requirements, and to easily classify plants as to fruit, colors, and other characteristics, we refer you to the following lists.

All plants recommended are offered in this calalogue and the use of this reference will enable you to quickly and easily arrive at the proper variety list to cover your needs for any special or unusual requirements.

### For a Quick-growing Screen

#### TREES

Acer dasycarpum Chamaecyparis pisifera and varieties Picea excelsa Pinus strobus Pinus sylvestris

Populus in variety Pseudotsuga douglasi Salix in variety Thuja occid. pyramidalis Thuja occidentalis nigra Tsuga canadensis

#### SHRUBS

Eleagnus angustifolia Euonymus bungeanus Ligustrum ibota Ligustrum ovalifolium Lonicera in variety Photinia villosa Physocarpus opulifolius Rhamnus frangula Viburnum lantana Viburnum lentago

### For a Formal Clipped Hedge

#### TREES

Acer campestre
Acer ginnala
Carpinus carolinianum
Crataegus cordata
Crataegus crusgalli
Crataegus oxycantha

Picea excelsa
Pinus strobus
Taxus in variety
Thuja occidentalis and
varieties
Tsuga canadensis

#### SHRUBS

Berberis thunbergi Buxus sempervirens Euonymus alatus Euonymus alatus compactus Euonymus radicans vegetus Ilex crenata bullata Ilex crenata microphylla Ligustrum ibolium Ligustrum ovalifolium Pyracantha coccinea lalandi Rhamnus cathartica Rhamnus frangula

# For an Informal, Flowering or Fruiting, or Evergreen Hedge

Berberis in variety
Cydonia japonica
Deutzia gracilis
Deutzia lemoinei
Euonymus patens
Forsythia spectabilis
Hibiscus syriacus
Juniperus pfitzeriana
Juniperus hetzi
Lonicera (bush forms)
Mahonia aquifolia
Philadelphus coronarius
Philadelphus lemoinei
Rhodotypos kerrioides

Rosa hugonis
Rosa rubiginosa
Rosa rugosa
Spirea bum. Anthony Waterer
Spirea thunbergi
Spirea Van Houttei
Sorbaria aitchisoni
Syringa alba
Syringa vulgaris
Taxus browni
Taxus hatfieldi
Viburnum dentatum
Viburnum lantana
Viburnum tomentosum

### For a Wet Location

#### TREES

#### Evergreen

Chamaecyparis thyoides Thuja occidentalis and varieties Tsuga canadensis

#### Deciduous

Acer dasycarpum and Types
Acer rubrum
Amelanchier canadensis

Carpinus caroliniana
Liquidambar styraciflua
Magnolia glauca
Nyssa sylvatica
Platanus occidentalis
Populus in variety
Quercus palustris
Salix in variety
Tilia americana
Ulmus americana

#### SHRUBS

Aronia arbutifolia
Benzoin aestivale
Cephalanthus occidentalis
Chionanthus virginica
Clethra alnifolia
Cornus alba
Cornus amomum
Cornus stolonifera
Hypericum densiflorum
Ilex glabra

Ilex verticillata
Rosa lucida
Rosa palustris
Salix in variety
Spirea tomentosa
Viburnum americanum
Viburnum cassinoides
Viburnum dentatum
Viburnum lentago
Viburnum opulus

### For a Dry Location

#### TREES

Acer campestre
Acer ginnala
Ailanthus glandulosa
Betula populifolia
Celtis occidentalis
Fraxinus lanceolata
Gleditsia varieties

Koelreuteria paniculata Pinus strobus Pinus sylvestris Quercus coccinea Quercus macrocarpa Sophora japonica Ulmus pumila

### For a Dry Location

#### SHRUBS

Acanthopanax pentaphyllum Amorpha fruticosa
Ceanothus americanus
Caragana arborescens
Colutea arborescens
Cornus paniculata
Eleagnus angustifolia
Eleagnus longipes
Juniperus chin, sargenti
Juniperus communis and
varieties
Juniperus horiz, douglasi
Ligustrum in variety

Lonicera tatarica varieties
Lycium chinense
Potentilla fruticosa
Prunus maritima
Rhamnus frangula
Rhus in variety
Robinia hispida
Rosa nitida
Rosa rugosa
Tamarix parviflora
Tamarix pentandra
Viburnum prunifolium

### Berry-Bearing Trees and Shrubs

#### RED BERRIES

Aronia arbutifolia Benzoin aestivale Berberis thunbergi Cornus florida Cornus kousa Cornus mas Cotoneaster dielsiana Cotoneaster divaricata Cotoneaster franchetti Cotoneaster horizontalis Cotoneaster horiz, perpusilla Cotoneaster rotundifolia Cotoneaster salici F. floccosa Cotoneaster simonsi Crataegus coccinea Crataegus cordata Crataegus crusgalli Eleagnus longipes Euonymus alatus Euonymus alatus compacta Euonymus europaeus Euonymus radicans vegetus Ilex opaca

Ilex verticillata Lonicera maacki Lonicera morrowi Lonicera tartarica Magnolia glauca Malus hopa Malus sargenti Photinia villosa Pyracantha cocc, lalandi Rhus canadensis Rosa blanda Rosa palustris Rosa rubiginosa Rosa rugosa Sorbus aucuparia Symphoricarpos chenaulti Symphoricarpos vulgaris Viburnum americanum Viburnum dilatatum Viburnum opulus Viburnum theiferum Viburnum wrighti

#### BLACK BERRIES

Amelanchier canadensis Aronia melanocarpa Berberis verruculosa Cotoneaster acutifolia Ilex crenata convexa Ilex crenata microphylla Ilex glabra Ligustrum ibota Ligustrum regelianum Rhamnus cathartica Rhamnus frangula Rhodotypos kerrioides Viburnum acerifolium Viburnum lantana Viburnum prunifolium Viburnum sieboldi

#### WHITE BERRIES

Cornus alba sibirica Cornus stolonifera Cornus paniculata Myrica carol. (gray) Pachysandra terminalis Symphoricarpos racemosus

#### DEEP BLUE-BLACK BERRIES

Berberis julianae Berberis triacanthophora Callicarpa japonica Callicarpa purpurea Cornus amomum Viburnum cassinoides Viburnum dentatum Viburnum molle Viburnum nudum

### Small or Dwarf Plants for the Border

Abelia grandiflora Acer palmatum and varieties Azalea amoena Azalea hinodegiri Berberis triacanthophora Berberis verruculosa Buxus Ceanothus americanus Cotoneaster horiz, perpusilla Cotoneaster microphylla Deutiza gracilis Deutzia lemoinei Diervilla sessilifolia Euonymus radicans and varieties Hypericum moserianum Ilex convexa (bullata) Ilex crenata microphlla

Juniperus (spreading types) Leucothoe catesbaei Mahonia aquifolium Pachysandra terminalis Pieris floribunda Pieris japonica Potentilla varieties Prunus glandulosa Rosa nitida Spirea bum. Anthony Waterer Spirea thunbergi Stephanandra flexuosa Symphoricarpos (various) Taxus cuspidata nana Thuja (globe and dwarf forms) Viburnum opulus nana Zanthorhiza apiifolia

### For a Smoky, Dusty, City Situation

#### TREES

Acer platanoides
Ailanthus glandulosa
Carpinus betulus
Celtis occidentalis
Crataegus crusgalli
Ginkgo biloba
Gleditsia triacanthus varieties

Phellodendron species
Pinus nigra austriaca
Pinus sylvestris
Platanus orientalis
Populus eugenie and
maximowiczii
Sophora japonica

#### **SHRUBS**

Acanthopanax pentaphyllum Aralia spinosa Berberis thunbergi Colutea arborescens Crataegus cordata Forsythia in variety Ilex crenata Ilex microphylla Ligustrum in variety Lonicera fragrantissima Lonicera morrowi Physocarpus opulifolius Rhodotypos kerrioides Spiraea Van Houttei Symphoricarpos in variety Syringa vulgaris Viburnum cassinoides

### For Partially Shaded Locations

#### TREES

Acer ginnala Amelanchier canadensis Chionanthus virginica Cornus florida and rubra Halesia tetraptera Magnolia glauca Ilex opaca (Evergreen) Oxydendron arboreum Tsuga canadensis (Evergreen)

### For Partially Shaded Locations

#### SHRUBS

Abelia grandiflora Acanthopanax pentaphyllum

Aronia species
\*Benzoin aestivale
Berberis julianae
Calycanthus floridus
Cephalanthus occidentalis
Cercis canadensis and
chinensis
Clethra alnifolia
Cornus alternifolia
Cornus mas
Diervilla sessilifolia

Euonymus fortunei and varieties
\*Hamamelis

Hydrangea arborescens grand. Hydrangea quercifolia Hypericum aureum Ilex crenata microphylla Ilex glabra

\*Hedera helix

Ilex glabra
Ilex verticillata
\*Kerria japonica

\*Kalmia

\*Leucothoe cataesbaei Ligustrum ibota regelianum Ligustrum ovalifolium Lonicera fragrantissima Lonicera morrowi

\*Mahonia aquifolia
Pachysandra terminalis
Pieris floribunda
Pieris japonica
Potentilla fruticosa
Pyracantha cocc. lalandi
\*Rhododendron raximum

Rhodotypos kerrioides Stephanandra flexuosa \*Symphoricarpos

Taxus baccata repandens
Taxus cuspidata
Viburnum acerifolium
Viburnum lentago
Viburnum opulus

Viburnum prunifolium \*Vinca minor Zanthorhiza apiifolia

(\*tolerates dense shade)

### Trees for Avenues and Streets

#### Habit — Tall, formal and heavy

Acer platanoides
Acer saccharum
Liriodendron tulipifera
Platanus orientalis
Quercus rubra
Tilia americana
Tilia tomentosa

### Habit — Tall, medium to light textured

Acer dasycarpum
Acer rubrum
Ailanthus glandulosa
Fraxinus americana
Fraxinus lanceolata
Ginkgo biloba
Gleditsia triacanthos inermis

Quercus coccinea Quercus palustris Ulmus americanum

## Habit — Medium height for narrow, residential street

Acer campestre
Acer plat. columnare
Betula alba
Celtis occidentalis
Cercidiphyllum japonicum
Koelreuteria paniculata
Liquidambar styraciflua
Phellodendron chinense
Prunus Kwanzan
Prunus yedoensis
Sophora japonica
Sorbus aucuparia
Tilia cordata

### For Seashore Locations

#### TREES

Acer pseudoplatanus Amelanchier canadensis Ilex opaca Nyssa sylvatica Pinus thunbergi Plantanus acerifolium Populus alba bolleana Populus eugenei

### For Seashore Locations

#### **SHRUBS**

Aronia arbutifolia
Clethra alnifolia
Eleagnus angustifolia
Eleagnus umbellata
Hibiscus syriacus
Hydrangea Otaksa
Ilex glabra
Juniperus horiz. Bar Harbor
Juniperus horiz. plumosa
Ligustrum ovalifolium

Myrica pennsylvanicum
Prunus maritima
Rhus species
Rosa rugosa
Rosa blanda
Rosa wichuriana
Syringa vulgaris
Tamarix species
Viburnum dentatum

GROWERS OF MIGH GRADE DRHAMENTAL BURSCRY STOCK

900 ACRES

# PRINCETON

PRINCETON



# NURSERIES

NEWJERSEY

WM FLEMER'S SONS, INC.

PRINCETON 1776-1777

February 17, 1956.

United States Dept of Agriculture, Library, Washington 25, D.C.

> Att: Mr. Foster E. Mohrhardt, Director

Gentlemen:

Replying to your request for our catalog, you will find enclosed a copy of our new spring issue.

Will you please make a notation in your records, that we sell wholesale only, and do not have the facilities to take care of retail or individual purchases.

We hope you will find the catalog of interest to you.


Yours vepy truly,

WM. FLYMER'S SONS, INC.

George S. Harris

GSH/mc Enc.

PRINCETON



WM FLEMERS SONS INC

United States Dept of Auriculaugues, Library, Washington 25, D.C.

All: Mr. Larer E. Hou

Geneland:

. Latter two sol Jaero n solt of halfigeR

The contract of the party of th

or galeran and bol's filty one, soon of

Yours very smilt,

A STATE OF THE STA

### SPECIAL OFFER - ASSORTED SHRUBS

Our selection includes all desirable varieties for landscape plantings.

Many of our customers have asked us for assorted shrubs where the varieties do not have to be specified. We are, therefore, offering two groups of shrubs this season. The varieties used will naturally be made up of items that we have in good supply at the time.

	100 or more	1000 or more
GROUP A—Shrubs, 2 yr. Average 2 ft. or more, including many good ornamental varieties of Cornus, Deutzia, Spirea, Lonicera and others		.35
GROUP B—Shrubs, 3 yr. Average 3 ft. or more, including many good ornamental varieties as above	.45	.40

We may also from time to time have special offers of assorted SHADE TREES, SMALL EVERGREENS, or other items. Consult us first and take advantage of the savings involved.



PRINCETON PRODUCTS ARE QUALITY PRODUCTS